

List of scientific publications from the Scandinavian Sarcoma Centers, 1992–1998

Denmark

Aarhus

- Bates T, Yarnold R, Blitzer P, Nielsen O S, Rubin P, Maher A. Bone Metastasis Consensus Statement. *Int. J. Radiat. Oncology Phys. Biol.* 1992; 23: 215–6.
- Jørgensen L I, Lyon H, Myhre Jensen O, Nordentoft A, Sneppen O. Synovial sarcoma. An immunohistochemical study of the epithelial component. *APMIS* 1994; 102: 191–6.
- Sneppen O, Keller J. Management of Sarcomas of the Shoulder Girdle. *Asian Shoulder Association.* 1994; 54–5.
- Gelineck J, Keller J, Jensen O M, Christensen T. Evaluation of lipomatous soft tissue tumors by magnetic resonance imaging. *Acta Radiol* 1995; 35: 1–4.
- Jurik A G, Jensen O, Keller J, Nielsen O S, Lundorf E, Daugaard S, Sneppen O. Imaging of chondrosarcoma with histopathological and prognostic correlation. An analysis of 49 cases mainly based on plain film radiography. *Fortschr Röntgenstr.* 1995; 163: 372–7.
- Verweij J, Mouridsen H, Nielsen O S, Woll P, Somers R, van Oosterom A, Van Glabbeke M, Tursz T. The present state of the art in chemotherapy for soft tissue sarcomas. The EORTC Point of View. *Critical Reviews in Oncology/Haematology* 1995; 20: 193–202.
- Jensen M L, Jensen O M, Michalski W, Nielsen O S, Keller J. Intradermal and subcutaneous leiomyosarcoma. A clinicopathological and immunohistochemical study of 41 cases. *J Cutan Pathol* 1996; 23: 458–63.
- Jensen V, Høyer M, Sørensen F B, Keller J, Jensen O M. MIB-1 Expression and Iododeoxyuridine Labelling in Soft Tissue Sarcomas. An Immunohistochemical Study including Correlations with p53, bcl-2 and Histological Characteristics. *Histopathology* 1996; 28: 437–44.
- Jurik A G, Egund N. Radiological evaluation of the effect of chemotherapy in malignant bone tumours (in Danish). *Ugeskr læger* 1996; 158: 7099–101.
- Nikolajsen L, Hansen C L, Nielsen J, Keller J, Arendt-Nielsen L, Jensen T S. The effect of ketamine on phantom pain: A central neuropathic disorder maintained by peripheral input. *Pain* 1996; 67: 69–77.
- Nielsen O S. Palliative Treatment of Bone Metastasis. *Acta Oncol.* 1996; 35: 58–60.
- Nordsmark M, Høyer M, Keller J, Nielsen O S, Jensen O M, Overgaard J. The relationship between tumor oxygenation and cell proliferation in human soft tissue sarcomas. *Int J Radiat Oncol Biol Phys.* 1996; 35: 701–8.
- Rodenberg J, Bünger C, Keller J, Nielsen O S, Jurik A G. Fibrous dysplasia of the spine, costae and hemipelvis with sarcomatous transformation. *Skeletal Radiol* 1996; 25: 682–4.
- Van Geel A N and the EORTC—STBSG. Surgical treatment of lung metastases: The EORTC—Soft Tissue and Bone Sarcoma Group study of 254 patients. *Cancer* 1996; 77: 657–82.
- Daugaard S, Jensen O M, Schiødt T, Jurik A G, Keller J, Mouritsen H T, Lund B. Clinical and histopathological prognostic factors in chondrosarcomas. *Sarcoma* 1997; 1: 47–54.
- Keizer H J, Crowther D, Nielsen O S, van Oosterom A T, Hornedo Muguio J, van Pottelberghe C, Somers R, Tursz T. Twenty-one days of oral etoposide in a 4-weeks schedule for pre-treated soft tissue sarcoma: A phase II study of the EORTC Soft Tissue and Bone Sarcoma Groups. *Sarcoma* 1997; 1: 99–102.
- Nordsmark M, Keller J, Nielsen O S, Lundorf E, Overgaard J. Tumour oxygenation assessed by polarographic needle electrodes and bioenergetic status measured by ³¹P magnetic resonance spectroscopy in human soft tissue tumours. *Acta oncolog* 1997; 36: 565–71.
- Safwat A, Nielsen O S, Jurik A G, Keller J, Lund B, Weeth R, Jensen O M. A retrospective clinicopathological study on 37 patients with chordoma: A danish national study. *Sarcoma* 1997; 1: 161–5.
- Verweij J, Nielsen O S, Therasse P, van Oosterom A T. The use of a systemic therapy check list improves the quality of data acquisition and recording in multicenter trials. *Eur J Cancer* 1997; 33: 1045–9.
- Jensen M L, Schumacher B, Jensen O M, Nielsen O S, Keller J. Extraskeletal osteosarcomas: a clinicopathological study of 25 cases including immuno- and enzyme (alkaline phosphatase) histochemistry. *Am J Surg Pathol* 1998; 22: 588–94.
- Jensen V, Sørensen F B, Bentzen S, Ladekarl M, Nielsen O S, Keller J, Jensen O M. Prognostic significance of proliferative activity (MIB-1 index) in soft tissue sarcomas. An Immunohistochemical Study including p53 and bcl-2 expression. *Histopathology* 1998; 32: 536–46.
- Johansen R, Nielsen O S, Keller J. Functional outcome in sarcomas treated with limb salvage or amputation. *Sarcoma* 1998; 2: 19–23.
- Nielsen O S, Dombernowsky P, Mouridsen H, Crowther D, Verweij J, Buese J, Steward W, Daugaard S, Van Glabbeke M, Kirckpatrick A, Tursz T. High dose epirubicin is not an alternative standard dose doxorubicin in the treatment of advanced soft tissue sarcomas. A study of the EORTC Soft Tissue and Bone Sarcoma Group. *Br J Cancer* 1998; 78: 1634–9.
- Nielsen O S, Bentzen S M, Sandberg E, Gadeberg C C, Timothy A. Randomized trial of single-dose versus fractionated palliative radiotherapy of bone metastases. *Radiat. Oncol.* 1998; 16: 233–40.
- Woll P J, Judson I, Lee S M, Rodenhuis S, Nielsen O S, Buesa J M, Lorigan P C, Leyvraz S, Hermans C, van Glabbeke M, Verweij J. Temozolomide in adult patients with advanced soft tissue sarcoma: a phase II study of the EORTC Soft Tissue and Bone Sarcoma Group. *Eur J Cancer* (accepted).
- Vraa S, Keller J, Nielsen O S, Sneppen O, Jurik A G, Jensen O M. Prognostic factors in soft-tissue sarcomas: The Aarhus experience. *Eur J Cancer* 1998; 34: 1876–82.

Finland

Helsinki

- Solheim Ø P, Saeter G, Elomaa I, Alvegård T A. The treatment of osteosarcoma—present trends. The Scandinavian Sarcoma Group Experiences. *Ann Oncol* 1992; 3 (Suppl.2): 7–11.
- Wiklund T, Blomqvist C, Virolainen M, Elomaa I. Ifosfamide, vincristine, doxorubicin and dacarbazine (IVAD-IC) in adult patients with advanced soft tissue sarcoma. *Cancer Chemother Pharmacol* 1992; 30: 100–4.
- Wiklund T, Elomaa I, Blomqvist C, Risteli L, Risteli J. Type III collagen metabolism in soft-tissue sarcomas. *Br J Cancer* 1992; 65: 193–6.
- Blomqvist C, Wiklund T, Tarkkanen M, Virolainen M, Elomaa I. Measurement of growth rate of lung metastases in 21 patients with bone or soft-tissue sarcoma. *Brit J Cancer* 1993; 68: 414–17.
- Heliö H, Karaharju E, Kivioja A, Elomaa I, Knuutila S. Malignant fibrous histiocytoma arising in a previous site of fracture and osteomyelitis. A case report. *Eur J Surg Oncol* 1993; 19: 479–84.
- Tarkkanen M, Böhling T, Heliö H, Karaharju E, Kaipainen A, Szymanska J, Elomaa I, Knuutila S. A recurrent chondromyxoid fibroma with chromosome aberration ins (5;2)(q13;p21p25) and 2p deletion. A case report. *Cancer Gen Cytogen* 1993; 65: 141–6.
- Tarkkanen M, Kaipainen A, Karaharju E, Böhling T, Szymanska J, Heliö H, Kivioja A, Elomaa I, Knuutila S. Cytogenetic study of 249 consecutive patients examined for a bone tumor. *Cancer Gen Cytogen* 1993; 68: 1–21.
- Tarkkanen M, Karaharju E, Böhling T, Szymanska J, Heliö H, Kivioja A, Elomaa I, Knuutila S. Chromosome study of 249 patients with a bone tumor. *Clin Orthop Rel Res* 1993; 297: 117–28.
- Wiklund T, Blomqvist C, Risteli L, Risteli J, Elomaa I. Impact of chemotherapy on collagen metabolism. A study of serum PIIINP (aminoterminal propeptide of type III procollagen) in soft tissue sarcomas. *J Cancer Res Clin Oncol* 1993; 119: 160–4.
- Wiklund T A, Alvegård T A, Mouridsen H T, Blomqvist C P. Marginal surgery and postoperative chemotherapy in soft tissue sarcomas. The Scandinavian Sarcoma Group experience. *Eur J Cancer* 1993; 29A: 306–9.
- Tarkkanen M, Wiklund M, Virolainen M, Elomaa I, Knuutila S. Dedifferential chondrosarcoma with t(9;22)(q34;q11–12). A case report. *Genes Chromosomes Cancer* 1994; 9: 136–40.
- Blomqvist C, Wiklund T, Pajunen M, Elomaa I. Oral trofosfamide as active drug in the treatment of soft-tissue sarcoma. *Cancer Chemother Pharmacol* 1995; 36: 263–5.
- Szymanska J, Tarkkanen M, Blomqvist C, Wiklund T, Virolainen M, Elomaa I, Knuutila S. A cytogenetic study of malignant fibrous histiocytoma. *Cancer Genet Cytogenet* 1995; 85: 91–6.
- Tarkkanen M, Karhu R, Kallioniemi A, Elomaa I, Böhling T, Kivioja A, Nevalainen J, Karaharju E, Hyytinen E, Knuutila S, Kallioniemi O-P. Gains and losses of DNA in osteosarcomas by comparative genomic hybridization. *Cancer Research* 1995; 55: 1334–8.
- Blomqvist C P, Huuhtanen R, Pan Y. Growth rate of lung metastases and s-phase fraction as determined by flow cytometry from primary tumour in 25 patients with bone or soft tissue sarcomas. *Br J Cancer* 1996; 73: 1556–9.
- Huhtanen R, Blomqvist C, Wiklund T, Virolainen M, Elomaa I, Pan Y, Tribukait B. A high S-phase fraction is a negative prognostic factor for diploid soft tissue sarcomas. *Cancer* 1996; 77: 1815–22.
- Kairamo K J, Blomqvist C P, Miettinen M: Cardiac myxomas. *N Engl J Med* 1996; 1407–8.
- Szymanska J, Tarkkanen M, Wiklund T, Virolainen M, Blomqvist C, Asko-Seljavaara S, Tukiainen E, Elomaa I, Knuutila S. Gains and losses in liposarcomas evaluated by comparative genomic hybridization. *Genes Chromosomes Cancer* 1996; 15: 89–94.
- Szymanska J, Tarkkanen M, Wiklund T, Virolainen M, Blomqvist C, Asko-Seljavaara S, Tukiainen E, Elomaa I, Knuutila S. Cytogenetic study of extraskeletal mesenchymal chondrosarcoma—a case report. *Cancer Genet Cytogenet* 1996; 86: 170–3.
- Tarkkanen M, Aaltonen L, Elomaa I, Karaharju E, Kivioja A, Böhling T, Knuutila S. No evidence of microsatellite instability in bone neoplasms. *Brit J Cancer* 1996; 74: 453–5.
- Tarkkanen M, Nordling S, Elomaa I, Karaharju E, Kivioja A, Böhling T, Knuutila S. Comparison of karyotyping, DNA-flow cytometry and interphase cytogenetics in bone neoplasms. *Cytometry* 1996; 26: 185–91.
- Wiklund T, Blomqvist C, Karaharju E, Kivioja A, Böhling T, Risteli L, Risteli J, Elomaa I. Serum metabolites of type I and III collagen in osteosarcoma. *Br J Cancer* 1996; 73: 283–6.
- Wiklund T, Huuhtanen R, Blomqvist C, Tukiainen E, Virolainen M, Björkenheim J-M, Asko-Seljavaara S, Elomaa I. Importance of a multidisciplinary group in the treatment of soft tissue sarcomas. *Eur J Cancer* 1996; 32A: 265–73.
- Armengol G, Tarkkanen M, Virolainen M, Valle J, Asko-Seljavaara S, Elomaa I, Karaharju E, Kivioja A H, Siimes M, Tukiainen E, Caballin M R, Knuutila S. Recurrent gains of 1Q, 8 and 12 in Ewing Family of tumours by comparative genomic hybridization. *Brit J Cancer* 1997; 75: 1403–9.
- Larramendy M L, Tarkkanen M, Blomqvist C, Virolainen M, Wiklund T, Asko-Seljavaara S, Elomaa I, Knuutila S. Comparative genomic hybridisation of malignant histiocytoma reveals a novel prognostic marker. *Am Soc Invest Pathol* 1997; 151: 1153–61.
- Saeter G, Alvegård T A, Elomaa I, Wiebe T, Björk O, Strand-H, Solheim O P. Chemotherapy for osteosarcoma and Ewing's sarcoma. *Acta Orthop Scand* 1997; 68 (Suppl.273): 120–5.
- Saeter G, Elomaa I, Wahlqvist Y, Alvegård T A, Wiebe T, Monge O, Forestier E, Solheim O P. Prognostic factors in bone sarcomas. *Acta Orthop Scand* 1997; 68 (Suppl.273): 156–60.

- Szymanska J, Tarkkanen M, Wiklund T, Virolainen M, Blomqvist C, Asko-Seljavaara S, Tukiainen E, Elomaa I, Knuutila S. Overrepresentation of 1q21–23 and 12q13–21 in lipoma like liposarcomas but not in benign lipomas. A comparative genomic hybridization study. *Cancer Genet Cytogenet* 1997; 99: 14–8.
- Wolf M, Aaltonen L A, Szymanska J, Tarkkanen M, Blomqvist C P, Knuutila S. Complexity of 12q13–22 amplicon in liposarcoma: microsatellite repeat analysis. *Genes Chromosomes Cancer* 1997; 18: 66–70.
- Larramendy M L, Virolainen M, Tukiainen E, Elomaa I, Knuutila S. Chromosome 1q21 is recurrently gained in desmoid tumors. *Genes Chromosomes Cancer* 1998; 23: 183–6.
- Nilbert M, Saeter G, Elomaa I, Monge O R, Alvegård T A. Ewing's sarcoma treatment in Scandinavia 1984–1990. 10-year results of the Scandinavian Sarcoma Group Protocol SSG IV. *Acta Oncol* 1998; 37: 375–8.
- Tarkkanen M, Böhling T, Gamberi G, Ragazzini P, Benassi M S, Kivioja A, Kallio P, Elomaa I, Picci P, Knuutila S. Comparative genomic hybridization of low-grade central osteosarcoma. *Mod Pathol* 1998; 11: 421–6.
- Turku*
- Aho A J, Penttinen R P K, Niinikoski J, Aho H J. Incorporation of massive knee half-joint allografts in dogs. In: *New Trends in Bone Grafting* (Ed. Lindholm T S). Acta Universitatis Tampereensis 1992 (Ser B); 40: 176–85.
- Aro H T, Aho A J, Yli-Jama T. Organization for institutional banking of massive osteoarticular allografts and femoral heads. In: *New Trends in Bone Grafting* (Ed. Lindholm T S). Acta Universitatis Tampereensis 1992 (Ser B); 40: 219–25.
- Aro H T, Aho A J. Clinical use of bone allografts. *Ann Med* 1993 Aug; 25 (4): 403–12.
- Virolainen P, Vuorio E, Aro H T. Gene expression at graft–host interfaces of cortical bone allografts and autografts. *Clin Orthop* 1993 Dec; (297): 144–9.
- Aho A J, Ekfors T, Dean P B, Aro H T, Ahonen A, Nikkanen V. Incorporation and clinical results of large allografts of the extremities and pelvis. *Clin Orthop* 1994 Oct; (307): 200–13.
- Aho A J, Hirn M, Heikkilä J, Ekfors T, Mattila K. Complications of massive allograft surgery. In: 4th International conference European association of tissue banks, Leuven, October 15–18, 1995 (Eds. Byk J C, Lechat A, von Versen R). Monduzzi Editore, Bologna 1995; 103–7.
- Mattila K T, Heikkilä J T, Aho A J, Manner I K, Dean P B. Massive osteoarticular knee allografts: structural changes evaluated with CT. *Radiology* 1995 Sep; 196 (3): 657–60.
- Virolainen P, Perala M, Vuorio E, Aro H T. Expression of matrix genes during incorporation of cancellous bone allografts and autografts. *Clin Orthop* 1995 Aug; (317): 263–72.
- Laitinen M, Jortikka L, Halttunen T, Nevalainen J, Aho A J, Marttinen A, Lindholm T S. Measurement of total and local bone morphogenetic protein concentration in bone tumours. *Int Orthop* 1997; 21 (3): 188–93.
- Pylkkanen L, Aho A J, Ekfors T, Salmi T T, Tuominen J, Viljanto J, Nikkanen V. Treatment results of osteogenic sarcoma. An evaluation of 36 patients treated during 30-year period in south-western Finland. *Eur J Surg Oncol* 1997; Feb 23 (1): 54–8.
- Aho A J, Eskola J, Ekfors T, Manner I, Kouri T, Hollmen T. Immune responses and clinical outcome of massive human osteoarticular allografts. *Clin Orthop* 1998; Jan (346): 196–206.
- Aho A J, Hirn M, Aro H T, Heikkilä J T, Meurman O. Bone bank service in Finland. *Acta Orthop Scand* 1998; 69 (6): 559–65.
- Laitinen M, Marttinen A, Aho A J, Lindholm T S. Bone morphogenetic protein in bone neoplasms: Comparison of different detection methods. *Eur Surg Research* 1998; 30: 168–74.

Norway

Bergen

- Samdal S, Trovik C, Skaane P, Amland P. An extraperitoneal ischioectogluteal lipoma treated by liposuction. *Scand J Plast Reconstr Hand Surg* 1993; 27: 323–5.
- Trovik C, Bauer H C F. Local recurrence is a risk factor for late metastasis in soft tissue sarcoma: 379 patients followed for 0.5–20 years. *Acta Orthop Scand* 1994; 65(5): 553–8.
- Furnes A, Engesæter L B, Walløe A. Osteoid osteoma: Clinical and investigative features. *Orthopedics International Edition* 1995; 3(3): 223–8.
- Lilleng P K, Monge O R, Walløe A, Trovik C S, Hordvik M, Høie J, Dahl O, Bang G. Fibrosarcoma in children. A rare tumour with long-term survival even with advanced disease. *Acta Oncol* 1997; 36(4): 438–40.
- Sæter G, Elomaa I, Wahlqvist Y, Alvegård T A, Wiebe T, Monge O, Forrestier E, Solheim Ø P. Prognostic factors in bone sarcoma. *Acta Orthop Scand* 1997; 68(Suppl 273): 156–60.
- Sæter G, Alvegård T A, Monge O R, Strander H, Turesson I, Klepp R, Söderberg M, Wist E, Raabe N, Erlanson M, Solheim Ø P, Hannisdal E. Ifosfamide and continuous infusion etoposide in advanced adult soft tissue sarcoma. A Scandinavian Sarcoma Group phase II study. *Eur J Cancer* 1997; 33(10): 1551–8.
- Nilbert M, Sæter G, Elomaa I, Monge O R, Wiebe T, Alvegård T A. Ewing's sarcoma treatment in Scandinavia 1984–1990. *Acta Oncol* 1998; 37(4): 375–8.

Oslo

- Forus A, Mælandsmo G M, Andreassen Å, et al. Amplification of the GLI and LRP/A2MR loci in tumor cells: Is GLI only by chance co-amplified together with another gene related to tumour progression? In: *Chromosome 12 Aberrations in Human Solid Tumors* (Eds. Bullerdiek J, Bartnitzke S). Springer, 1992.
- Forus A, Mælandsmo G M, Andreassen A, et al. High correlation between amplification of either A2MR (LRP) or GLI and MDM2 suggests that the genes are part of the same amplification unit in 12q13–14. *Cytogenet Cell Genet* 1992; 61: 256.
- Haines D M, Bruland O S, Matte G, et al. Immunoscintigraphic detection of primary and metastatic canine osteo-sarcoma with F(ab')₂ fragments of osteosarcoma-associated monoclonal antibody TP-1. *Anticancer Res* 1992; 12: 2151–8.
- Pedeutour F, Riviere M, Bouchot C, et al. Chromosomal mapping of genes and anonymous DNA segments on human chromosome 12 with respect to the 12q13–q14 non-random breakpoint region involved in adipose tumors. *Cytogenet Cell Genet* 1992; 61: 260–1.
- Solheim Ø P, Sæter G, Elomaa I, et al. The treatment of osteosarcoma—present trends. *The Scandinavian Sarcoma Group Experience*. *Ann Oncol* 1992; 3 (Suppl 2): 7–11.
- Andreassen Å. Chromosome 17p aberrations and p53 expression in human sarcomas. In: *Frontiers of Osteosarcoma Research* (Ed. Novak J). Hogrefe & Huber 1993; 419–22.
- Andreassen Å, Øyjord T, Hovig E, et al. p53 Abnormalities in different subtypes of human sarcomas. *Cancer Res* 1993; 53 (3): 468–71.
- Bruland Ø S and Pihl A. Immunoscintigraphy and Radioimmunotherapy. Useful approaches in the management of osteogenic sarcoma? In: *Frontiers of Osteosarcoma Research* (Ed. Novak J). Hogrefe & Huber 1993; 149–59.
- Forus A, Flørenes V A, Mælandsmo G M, et al. Mapping of amplification units in the q13–14 region of chromosome 12 in human sarcomas: Some amplica do not include MDM2. *Cell Growth & Differentiation* 1993; 4: 1065–70.
- Gordeladze J O. Modulation of hormonal signaling in human osteosarcoma cell lines. In: *Frontiers of Osteosarcoma Research* (Ed. Novak J). Hogrefe & Huber 1993; 297–302.
- Lopes J M, Bjerkehagen B, Sobrinho-Simoes M, et al. The ultrastructural spectrum of synovial sarcomas: a study of epithelial differentiation of primary tumors, recurrences and metastases. *Ultrastruct Pathol* 1993; 17 (2): 137–51.
- Lothe R A, Sæter G, Danielsen H, et al. Genetic alterations in a malignant schwannoma from a patient with neurofibromatosis (NF1). *Path Res Pract* 1993; 189: 465–71.
- Nordal R R, Kjørstad K E, Stenwig A E, et al. Leiomyosarcoma (LMS) and endometrial stromal sarcoma (ESS) of the uterus. A survey of patients treated in the Norwegian Radium Hospital 1976–1985. *Int J Gynecol Cancer* 1993; 3: 110–5.
- Wen D Y, Hall W A, Fodstad Ø. Rapid detection of transferring receptor expression on glioma cell lines by using magnetic microspheres. *Neurosurgery* 1993; 33 (5): 878–81.
- Bruland Ø S, Fodstad Ø, Aas M, et al. Immunoscintigraphy of bone sarcomas—results in 5 patients. *Eur J Cancer* 1994; 30A (10): 1484–9.
- Flørenes V A, Mælandsmo G M, Forus A, et al. MDM2 gene amplification and transcript levels in human sarcomas: Relationship to TP53 gene status. *JNCI* 1994; 86 (17): 1297–1302.
- Forus A, Flørenes V, Mælandsmo G, et al. 12q13–14 amplica in human sarcomas without MDM2 include CDK4, SAS and GADD153/CHOP. *Cancer Genet Cytogenet* 1994; 77: 200.
- Forus A, Kools P F J, Schoenmakers E F P M, et al. A long range restriction map spanning the myxoid liposarcoma breakpoint in the q13–14 region of human chromosome 12. *Hum Genet* 1994; 94: 259–64.
- Forus A, Schmitt J-M, Pedetour F, et al. Amplification of 12q13–14 in human sarcoma: Is there a common selective gene, or are different mechanisms important in different sets of tumors? *Cytogenet Cell Genet* 1994; 67: 269.
- Forus A, Kools P F J, Schoenmakers E F P M, et al. Physical mapping of the region surrounding the A2MR, GLI and CHOP (GADD153) loci in 12q13. *Cytogenet Cell Genet* 1994; 67: 268–9.
- Forus A, Flørenes V A, Mælandsmo G M, et al. The protooncogene CHOP/GADD153, involved in growth arrest and DNA damage response, is amplified in a subset of human sarcomas. *Cancer Genet Cytogenet* 1994; 78: 165–71.
- Hassfjell S P. ²¹²Pb/²¹²Bi-EDTMP. Synthesis and biodistribution of a novel bone seeking alpha-emitting radiopharmaceutical. *J Labelled Compds Radiopharm* 1994; 34: 717–34.

- Kjønniksen I, Rye P D, Fodstad Ø, et al. Helix pomatia agglutinin binding in human tumour cell lines: correlation with pulmonary metastases in nude mice. *Br J Cancer* 1994; 69(6): 1021–4.
- Kjønniksen I, Windern M, Bruland Ø, et al. Validity and usefulness of human tumor models established by intratibial cell inoculation in nude rats. *Cancer Res* 1994; 54 (7): 1715–9.
- Langdon S P, Hendriks H R, Braakhuis B J, et al. Preclinical phase II studies in human tumor xenografts: a European multicenter follow-up study. *Ann Oncol* 1994; 5 (5): 415–22.
- Larsen R H, Bruland Ø S, Hoff P, et al. Analysis of the therapeutic gain in the treatment of human osteosarcoma microclonies in vitro with ^{211}At -labelled monoclonal antibodies. *Br J Cancer* 1994; 69: 1000–5.
- Larsen R H, Bruland Ø S, Hoff P, et al. Inactivation of human osteosarcoma cells in vitro by ^{211}At -TP-3 monoclonal antibody: Comparison with ^{211}At -labeled bovine serum albumin, free ^{211}At , and external beam X-rays. *Radiation Research* 1994; 139: 178–84.
- Larsen R H, Bruland Ø S, Hoff P, et al. Preparation and quality control of ^{211}At -labelled and ^{125}I -labelled monoclonal antibodies. Biodistribution in mice carrying human osteosarcoma xenografts. *J Labelled Compds Radiopharm* 1994; 34: 773–85.
- Lopes J M, Bjerkeheggen B, Holm R, et al. Immunohistochemical profile of synovial sarcomas with emphasis on the epithelial-type differentiation. A study of 49 primary tumors, recurrences and metastases. *Path Res Pract* 1994; 190: 168–77.
- Myklebost O, Stenwig A E, Fodstad Ø, et al. The analysis of gene expression patterns in liposarcoma, mesenchymal tumors resembling various stages of adipocyte differentiation. *J Cell Biochem* 1994; 163: Suppl 18A.
- Myklebust AT, Helseth A, Breistøl K, et al. Nude rat models for human tumor metastasis to CNS. Procedures for intracarotid delivery of cancer cells and drugs. *J Neurooncol* 1994; 21 (3): 215–24.
- Page RL. Positron emission tomographic imaging of osteosarcoma in dogs using an ^{18}F -labeled monoclonal antibody Fab fragment. *J Nucl Med* 1994; 35: 1506–13.
- Pedeutour F, Suijkerbuijk R F, Forus A, et al. Complex composition and co-amplification of SAS and MDM2 in ring and giant rod marker chromosomes in well-differentiated liposarcoma. *Genes Chromosomes Cancer* 1994; 10: 85–94.
- Solheim Ø P, Sæter G, Høie J, et al. Treatment of chondrosarcoma at the Norwegian Radium Hospital. *Acta Orthop Scand* 1994; 65 (Suppl 256): 62.
- Suijkerbuijk R, Olde Weghuis D, van den Berg, et al. Comparative genomic hybridization as a tool to define two distinct chromosome 12-derived amplification units in well-differentiated liposarcomas. *Genes Chromosomes Cancer* 1994; 9: 292–5.
- Bruland Ø S, Sæter G, Pihl A, et al. Dilemmas and challenges in the current management of osteosarcoma. A plea for more individualized treatment. *Anticancer Res* 1995; 15: 1798.
- Bruland Ø S. Cancer therapy with radiolabeled antibodies. An overview. *Acta Oncol* 1995; 34: 1085–94.
- Forus A, Weghuis D, Smeets D, et al. Comparative genomic hybridization analysis of human sarcomas: I. Occurrence of genomic imbalances and identification of a novel major amplicon at 1q22 in soft tissue sarcomas. *Genes Chromosomes Cancer* 1995; 14: 8–14.
- Forus A, Weghuis D, Smeets D, et al. Comparative genomic hybridization analysis of human sarcomas: II. Identification of novel amplicons at 6p and 17p in osteosarcomas. *Genes Chromosomes Cancer* 1995; 14: 15–21.
- Larsen R H, Bruland Ø S. Radiolysis of radioimmunoconjugates. Reduction of antigen-binding ability by alpha-particle radiation. *J Labelled Compds Radiopharm* 1995; 36: 1009–18.
- Lopes J M, Bjerkeheggen B, Holm R, et al. The proliferative activity of synovial sarcomas. An immunohistochemical evaluation of Ki-67 labeling indices of 52 primary and recurrent tumors. *Ultrastructural Pathology* 1995; 19: 101–6.
- Lothe R A, Slettan A, Sæter G, et al. Alterations at chromosome 17 loci in peripheral nerve sheath tumours. *J Neuropathol Exp Neurol* 1995; 54: 65–73.
- Mælandsmo G M, Berner J M, Flørenes A, et al. Homozygous deletion frequency and expression levels of the CDKN2 gene in human sarcomas—relationship to amplification and mRNA levels of CDK4 and CCND1. *Br J Cancer* 1995; 72 (2): 393–8.
- Nordal R R, Kristensen G B, Kærn J, et al. The prognostic significance of stage, tumor size, cellular atypia and DNA ploidy in uterine leiomyosarcoma. *Acta Oncol* 1995; 34 (6): 797–802.
- Olafsen T, Bruland Ø S, Zalutsky M R, et al. Cloning and sequencing of the V-genes from anti-osteosarcoma monoclonal antibodies TP-1 and TP-3: Location of lysine residues and implications for radiolabeling. *Nucl Med Biol* 1995; 22: 765–71.
- Sæter G, Høie J, Stenwig A E, et al. Systemic relapse of patients with osteogenic sarcoma. Prognostic factors for long term survival. *Cancer* 1995; 75: 1084–93.
- Sæter G, Talle K, Solheim Ø P, et al. Treatment of advanced, high-grade soft-tissue sarcoma with ifosfamide and continuous-infusion etoposide. *Cancer Chemother Pharmacol* 1995; 36: 172–5.
- Skullerud K, Stenwig A E, Brandtæg P, et al. Intracranial primary leiomyosarcoma arising in a teratoma of the pineal area. *Clin Neuropathol* 1995; 14: 245–8.
- Winderen M, Kjønniksen I, Fodstad Ø. Pronounced therapeutic effect of samarium 153-ethylenediaminetetramethylene phosphonate in an orthotopic human osteosarcoma tibial tumor model. *J Natl Cancer Inst* 1995; 87 (3): 221–2.
- Berner J M, Forus A, Elkahlaoui A, et al. Separate amplified regions encompassing CDK4 and MDM2 in human sarcomas. *Genes Chromosomes Cancer* 1996; 17 (4): 254–9.
- Bruland Ø S, Skretting A, Windern M, et al. Targeted internal radiotherapy in patients with advanced osteosarcoma using ^{153}Sm -EDTMP. *Acta Orthop Scand* 1996; 67: 48.
- Bruland Ø S, Skretting A, Sæter G, et al. Targeted radiotherapy of osteosarcoma using ^{153}Sm -EDTMP. A new promising approach. *Acta Oncol* 1996; 35: 381–4.
- Bruland Ø S, Skretting A, Sæter G, et al. Targeted internal radiotherapy in osteosarcoma patients using ^{153}Sm -EDTMP. *Med Ped Oncol* 1996; 27: 215.

- Gordeladze J O, Lund H W, Jablonski G, et al. Diverse expression of G-proteins in human sarcoma cell lines with different osteogenic potential: Evidence for the involvement of G₁₂ in cell proliferation. *J Cell Biochem* 1996; 60: 95–106.
- Hjelstuen M H, Rasch-Halvorsen K, Brekkan C, et al. Penetration and binding of monoclonal antibody in human osteosarcoma multicell spheroids. Comparison of confocal laser scanning microscopy and autoradiography. *Acta Oncol* 1996; 35: 273–9.
- Lothe R A, Kahru R, Mandahl N, et al. Gain of 17q24-qter detected by comparative genomic hybridization in malignant tumors from patients with von Recklinghausen's neurofibromatosis. *Cancer Res* 1996; 56: 4778–81.
- Mælendsmo G M, Høvig E, Skrede M, et al. Reversal of the in vivo metastatic phenotype of human tumor cells by an anti-CAPL (mts1) ribozyme. *Cancer Res* 1996; 56 (23): 5490–8.
- Moe L, Boysen M, Lønaas L, et al. Maxillectomy and targeted radionuclide therapy with ¹⁵³Sm-EDTMP in a recurrent canine osteosarcoma. *J Small Animal Pract* 1996; 37: 241–6.
- Nordal R R, Kristensen G B, Kærn J, et al. The prognostic significance of surgery, tumor size, malignancy grade, menopausal status and DNA ploidy in endometrial stromal sarcoma. *Gynecol Oncol* 1996; 62: 254–9.
- Olafsen T, Bruland Ø S, Zalutsky M R, et al. Abundant tyrosine residues in the antigen binding site in anti-osteosarcoma monoclonal antibodies TP-1 and TP-3. *Acta Oncol* 1996; 36: 297–301.
- Sæter G, Bruland Ø, Follerås G, et al. Extremity and non-extremity high-grade osteosarcoma. The Norwegian Radium Hospital experience during the modern chemotherapy era. *Acta Oncol* 1996; 35 (Suppl 8): 129–34.
- Sæter G. Treatment of bone and soft tissue sarcomas. The role of chemotherapy, dose-response relationships and haematopoietic growth factors. Gardinier-Caldwell Communications Cheshire ISSN 0963-6900, 1996 (review monograph).
- Alvegård T A, Sæter G. The role of pulmonary metastasectomy for soft tissue sarcoma. *Acta Orthop Scand* 1997 (68 Suppl 263): 145–7.
- Armengol G, Tarkkanen M, Virolainen M, et al. Recurrent gains of 1q, 8 and 12 in the Ewing family of tumours by comparative genomic hybridization. *Br J Cancer* 1997; 75 (10): 1403–9.
- Berner J M, Meza-Zepeda L A, Kools P F J, et al. HMGIC, the gene for an architectural transcription factor, is amplified and rearranged in a subset of human sarcomas. *Oncogene* 1997; 14 (24): 2935–41.
- Bruland, Ø S, Pihl A. On the current management of osteosarcoma. A critical evaluation and a proposal for a modified treatment strategy. *Eur J Cancer* 1997; 33: 1725–31.
- Ekstrøm P O, Andersen A, Sæter G, et al. Continuous intratumoral microdialysis during high-dose methotrexate therapy in a patient with malignant fibrous histiocytoma of the femur: a case report. *Cancer Chemother Pharmacol* 1997; 39: 267–72.
- Ekstrøm P O, Giercksky K E, Andersen A, et al. Intratumoral differences in methotrexate levels within human osteosarcoma xenografts as studied by microdialysis. *Life Sci* 1997; 61 (19): 275–80.
- Ekstrøm P O. The use of microdialysis to investigate extracellular pharmacokinetics of methotrexate, University of Oslo 1997, ISBN 82-7722-076-6 (Doctoral thesis).
- Geurts van Kessel A, dos Santos N R, Simons A, et al. Molecular cytogenetics of bone and soft tissue tumors. *Cancer Genet Cytogenet* 1997; 95(1): 67–73.
- Hassfjell S, Bruland O S, Hoff P, et al. ²¹²Bi-DOTMP—An alpha particle emitting bone seeking agent for targeted radiotherapy. *Nucl Med Biol* 1997; 24 (3): 231–7.
- Hoff Wanderås E, Fosså S D, Tretli S. Risk of subsequent non-germ cell cancer after treatment of germ cell cancer in 2006 Norwegian male patients. *Eur J Cancer* 1997; 33: 253–62.
- Lopes J M, Bruland Ø S, Bjerkehagen B, et al. Synovial sarcoma: Immunohistochemical expression of P-glycoprotein and glutathione transferase- π and clinical drug resistance. *Pathol Res Pract* 1997; 193: 21–36.
- Nordal R R, Thoresen S Ø. Uterine sarcomas in Norway 1956–1992: Incidence, survival and mortality. *Eur J Cancer* 1997; 33 (6): 907–11.
- Nordal R R, Kristensen G B, Stenwig A E, et al. An evaluation of prognostic factors in uterine carcinosarcoma. *Gynecol Oncol* 1997; 67: 316–21.
- Sæter G, Alvegård T A, Elomaa I, et al. Chemotherapy for osteosarcoma and Ewing's sarcoma. *Acta Orthop Scand* 1997; 68 (Suppl 263): 120–5.
- Sæter G, Alvegård T, Monge O, et al. Ifosfamide and continuous infusion etoposide in advanced adult soft tissue sarcoma. A Scandinavian Sarcoma Group phase II study. *Eur J Cancer* 1997; 33: 1551–8.
- Sæter G, Elomaa I, Wahlqvist Y, et al. Prognostic factors in bone sarcomas. *Acta Orthop Scand* 1997; 68 (Suppl 263): 156–60.
- Sæter G. Chemotherapy for adult soft tissue sarcoma. Does it work? *Acta Orthop Scand* 1997; 68 (Suppl 263): 139–44.
- Skretting A, Bruland Ø, Aas M. Absorbed dose estimation by combined use of CT information and whole body scanning with a dual head gamma camera in patients with osteosarcoma treated with ¹⁵³Sm-EDTMP. In: Radioactive isotopes in clinical medicine and research (Eds. Bergmann Kroiss and Sinzinger). Birkhauser Verlag Basel 1997; 383–6.
- Wiklund T, Sæter G, Strander H, et al. Outcome of advanced soft tissue sarcoma patients with complete tumour regression after either chemotherapy alone or chemotherapy plus surgery. The Scandinavian Sarcoma Group Experience. *Eur J Cancer* 1997; 33: 357–61.
- Wolf M, Aaltonen L A, Szymanska J, et al. Complexity of 12q13–22 amplicon in liposarcoma: microsatellite repeat analysis. *Genes Chromosomes Cancer* 1997; 18(1): 66–70.
- Aurlin E., Larsen R H, Olsen DR, et al. Selective eradication of micrometastases using ²¹¹At-labelled antibodies. In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 70–1.
- Bjørnland K, Winberg J-O, Ødegaard O T, et al. *S100A4* and involvement in metastasis: deregulation of MMP-2 and TIMP-2 in osteosarcoma cells transfected with an anti-*S100A4* ribozyme. In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 126–30.

- Bruland Ø S, Pihl A. Targeted radiotherapy in the treatment of osteosarcoma. Radiobiological basis, current clinical status and future prospects. In: "Radioimmunotherapy of Cancer" (Eds. Abrams P and Fritzberg A). Marcel Dekker Inc New York 1998; in Press.
- Bruland Ø S and Pihl A. The many faces of osteosarcoma. Some dilemmas and challenges in its current management. In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 9–15.
- Bruland Ø S, Høifødt H, Breistøl, K, et al. Micrometastases in patients with osteosarcoma. Immunomagnetic detection of tumor cells present in peripheral blood and bone marrow aspirates. In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 65–6.
- Forus A, Berner J-M, Meza-Zepeda L, et al. Molecular characterisation of a novel amplicon at 1q21-q22 frequently observed in human sarcomas. Br J Cancer 1998; 78: 495–503.
- Gautvik K M, Rian E, Bruland Ø S, et al. Human osteosarcoma cells in bone research In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 101–2.
- Hassfjell S, Skretting A, Bruland O S, et al. Predicting detectability in radioguided surgery: A study based on physical characterization of the probe and on tissue uptake ratios of ^{125}I -, ^{153}Sm - and ^{165}Er -labeled radiopharmaceuticals. Nucl Med Communic 1998; 19: 207–17.
- Høie J, Sæter G, Bruland Ø, et al. Selection of patients for thoracotomy—who can be cured by surgery? In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 62–4.
- Larsen R H and Bruland Ø S. Intratumor injection of immunoglobulins labeled with the alpha-emitter ^{211}At : Analyses of tumor retention, microdistribution and growth delay. Br J Cancer 1998; 77 (7): 1115–22.
- Larsen R H and Bruland Ø S. Preliminary evaluation of a new radiolabeled bisphosphonate. J Labelled Compds Radiopharm 1998; 51: 823–30.
- Lopes J M, Hannisdal E, Bjerkehagen B, et al. Synovial sarcoma. Evaluation of prognosis with emphasis on the study of DNA ploidy and proliferation (PCNA and Ki-67) markers. Anal Cell. Pathol 1998; 16: 45–62.
- Moe L, Aas M, Gamlem H, et al. Spontaneous osteosarcoma in dogs: clinical experience with targeted radionuclide therapy. In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 82–6.
- Nilbert M, Sæter G, Elomaa I, et al. Ewing's sarcoma treatment in Scandinavia 1984–1990. Ten-year results of the Scandinavian Sarcoma Group protocol SSG IV. Acta Oncol 1998; 37: 375–8.
- Nordal R R, Kristensen G B, Stenwig A E, et al. Immunohistochemical analysis of p53 protein in uterine sarcomas. Gynecol Oncol 1998; 70: 45–8.
- Nordal R R. Uterine sarcomas in Norway 1956–1992. An epidemiological and clinicopathological study, University of Oslo 1998, (ISBN 82-7722-082-0) (Doctoral thesis).
- Olsen D R and Bruland Ø S. Radiotherapy in Scandinavia. Acta Oncol 1998; 37 (6): 553–60.
- Olsen D R and Bruland Ø S. Is osteosarcoma a radioresistant tumor? In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 73–6.
- Sæter G. and Bruland Ø S. High-grade osteosarcoma (OS): the scope beyond the "classical" patient. In: Towards the Eradication of Osteosarcoma Metastases: an Odyssey, ISBN 82-91929-02-5, Oslo 1998: 21–3.

Sweden

Gothenburg

- Angervall L, Kindblom L-G, Linholm K, Eriksson S. Plexiform fibrohistiocytic tumor. Report of a case involving preoperative aspiration cytology and immunohistochemical and ultrastructural analysis of surgical specimen. *Path Res Pract* 1992; 188: 350–6.
- Block J A, Inerot S E, Kimura J H. Heterogeneity of keratan sulfate substituted on human chondrocytic large proteoglycans. *J. Biol. Chem.* 1992; 267: 7245–52.
- Lundgren L, Kindblom L-G, Willems J, Falkmer U, Angervall L. Proliferative myositis and fasciitis. A light- and electron microscopic, cytologic, DNA-cytometric and immunohistochemical study. *APMIS* 100 1992; 100: 437–48.
- Persson S, Kindblom L-G, Tisell L-E, Angervall L. Metastasizing gastric epithelioid leiomyosarcomas (leiomyoblastomas) in young individuals with long-term survival. *Cancer* 1992; 70: 721–32.
- Stenman G, Kindblom L-G, Angervall L. Reciprocal t(12;22)(q13;q13) in clear-cell sarcoma of tendons and aponeuroses. *Genes Chromosomes Cancer* 1992; 4: 122–7.
- Angervall L, Kindblom L-G. Principles for pathologic-anatomic diagnosis and classification of soft-tissue sarcomas. *Clin Orthop Rel Research* 1993; 289: 9–18.
- Berlin Ö, Samid D, Donthineni-Rao R, Akeson W, Amiel D, Woods V L. Development of a novel spontaneous metastasis model of human osteosarcoma transplanted ortho-topically into bone of athymic mice. *Cancer Research* 1993; 53: 4890–5.
- Holme E, Larsson N-G, Oldfors A, Tulinius M H, Sahlin P, Stenman G. Multiple summetric lipomas with high content of mitochondrial tRNA^{Leu}A→G(8344) mutation, as the only manifestation of disease in a carrier of myoclonus epilepsy and ragged-red fibers (MERRF) syndrome. *Am J Hum Genet* 1993; 52: 551–6.
- Hagberg K, Berlin Ö, Renström P. Function after through-knee compared with below-knee and above-knee amputation. *Prosthetics and Orthotics International* 1993; 16: 168–73.
- Lundgren L, Angervall L, Stenman G, Kindblom L-G. Infantile rhabdomyofibro-sarcoma. A high-grade sarcoma distinguishable from infantile fibrosarcoma and rhabdomyosarcoma. *Hum Pathol* 1993; 24: 785–95.
- Santanelli F, Berlin Ö, Fogdestam I. The combined tensor fasciae lata—rectus femoris myocutaneous flap. A possibility for major soft tissue reconstruction in the groin, hip, gluteal, perineum, and lower abdominal regions. *Annals of Plastic Surgery* 1993; 31(2): 168–74.
- Stenman G, Sahlin P, Mark J, Chaganti R S K, Kindblom L-G, Åman P. The 12q13–q15 translocation breakpoints in pleomorphic adenoma and clear-cell sarcoma of tendons and aponeuroses are different from that in myxoid liposarcoma. *Genes Chromosomes Cancer* 1993; 7: 178–80.
- Zucman J, Delattre O, Desmaza C, Epstein A L, Stenman G, Speleman F, Fletcher C D M, Aurias A, Thomas G. EWS and ATF-1 gene fusion induced by the t(12;22) translocation in malignant melanoma of soft parts. *Nature Genetics* 1993; 4: 341–5.
- Kransdorf M J, Meis-Kindblom J M. Dermatofibrosarcoma protuberans: Radiologic appearance. *Am J Roentgenol* 1994; 163: 391–4.
- De Leeuw B, Suijkerbuijk R, Weghuis D, Meloni A, Stenman G, Kindblom L-G, Bailemans M, van der Berg, Molenaar W, Sandberg A A, Kessel A. Distinct Xp11.2 breakpoint regions in synovial sarcoma revealed by metaphase and interphase FISH: Relationship to histologic subtypes. *Cancer Genet Cytogenet* 1994 73: 89–94.
- Lundgren L, Aldenberg F, Angervall L, Kindblom L-G. Pseudomalignant spindle cell proliferations of the urinary bladder. *Hum Pathol* 1994; 25: 181–91.
- Meis-Kindblom J M, Enzinger F M. Plexiform malignant peripheral nerve sheath tumor of infancy and childhood. *Am J Surg Pathol* 1994; 18: 479–85.
- Stenman G, Sahlin P, Angervall L, Meltzer P, Kindblom L-G. Cytogenetic and molecular studies of clear-cell sarcoma of tendons and aponeuroses. In: Chromosome 12 aberrations in human solid tumors—Cytogenetics and molecular genetics (Eds. Bullerdiel J, Barnitzke S, Dal Cin P, van de Ven W). *Cytogenetics and Molecular Genetics of Chromosome 12 in Human Solid Tumors*. Springer, Heidelberg, New York. 1994; 61–70.
- Stenman G, Andersson H, Mandahl N, Meis-Kindblom J M, Kindblom L-G. Translocation t(9;22)(q22;q12) in extraskeletal myxoid chondrosarcoma. *Int J Cancer* 1995; 62: 398–402.
- Fanburg J C, Meis-Kindblom J M, Rosenberg A E. Multiple enchondromas associated with spindle cell hemangioendotheliomas. An overlooked variant of Maffucci's syndrome. *Am J Surg Pathol* 1995; 19: 1029–38.
- Kindblom L-G, Meis-Kindblom J M. Chondroid lipoma: A detailed ultrastructural and immunohistochemical study with further observations regarding its differentiation. *Hum Pathol* 1995; 26: 706–15.
- Kindblom L-G, Seidal T, Angervall L. Cell differentiation in pleomorphic malignant fibrous histiocytomas. *Surgical Pathology* 1995; vol VI, issue 2: 65–83.
- Kindblom L-G, Meis-Kindblom J M, Enzinger F M. Letters to the Editor. Variants of liposarcoma. *Am J Surg Pathol* 1995; 19: 605–6.
- Kindblom L-G, Ahlén M, Meis-Kindblom J M, Stenman G. Immunohistochemical and molecular analysis of p53, MDM2, proliferating cell nuclear antigen, and Ki67 in benign and malignant peripheral nerve sheath tumors. *Virchows Archiv* 1995; 427: 19–26.
- Labelle Y, Zucman J, Stenman G, Kindblom L-G, Knight J, Turc-Carel C, Dockhorn-Dworniczak B, Mandahl N, Desmaza C, Peter M, Aurias A, Delattre O, Thomas G. Oncogenic conversion of a novel orphan nuclear receptor by chromosome translocation. *Human Molecular Genetics* 1995; 4: 2219–26.
- Meis-Kindblom J M, Kindblom L-G, Enzinger F M. Sclerosing epithelioid fibrosarcoma. A variant of fibrosarcoma simulating carcinoma. *Am J Surg Pathol* 1995; 19: 979–93.
- Meis-Kindblom J M. Splenic angiosarcoma. (Letter to the Editor: Author's Reply.) *Am J Surg Pathol* 1995; 19: 119.
- Meis-Kindblom J M, Enzinger F M. Nerve sheath tumor. (Letter to the Editor: Author's Reply.) *Am J Surg Pathol* 1995; 19: 609–11.
- Stenman G, Andersson H, Meis-Kindblom J M, Röijer E, Kindblom L-G. FISH analysis of supernumerary ring chromosome in dermatofibrosarcoma protuberans. *Int J Oncol* 1995; 6: 81–6.

- Stenman G, Andersson H, Mandahl N, Meis-Kindblom J M, Kindblom L-G. Translocation t(9;22)(q22;q12) in extraskeletal myxoid chondrosarcoma. *Int J Cancer* 1995; 62: 398–402.
- Smith B C, Ellis G L, Meis-Kindblom J M, Williams S B. Ectomesenchymal chondromyxoid tumor of the anterior tongue. Nineteen cases of a new clinical-pathologic entity. *Am J Surg Pathol* 1995; 119: 519–530.
- Zöller M, Rembeck B, Åkesson H O, Angervall L. Life expectancy, mortality and prognostic factors in neurofibromatosis type 1: a twelve-year follow-up of an epidemiological study in Göteborg, Sweden. *Acta Derm Venereol (Stockh.)* 1995; 75: 136–40.
- Bergh P, Remotti F, Meis-Kindblom J M, Gunterberg B, Geijer M, Kindblom L-G. Dedifferentiated chondrosarcoma of bone: A clinicopathologic study of 10 cases. *Acta Orthop Scand* 1996; 67 (Suppl. 272): 53.
- Fetsch J F, Laskin W B, Lefkowitz M, Kindblom L-G, Meis-Kindblom J M. Aggressive angiomyxoma. A clinicopathologic study of 29 female patients. *Cancer* 1996; 78: 79–90.
- Jagasia A A, Block J A, Diaz M O, Nobori T, Gitelis S, Inerot S E, Iyer A P. Partial deletions of the CDKN2 and MTS2 putative tumor suppressor genes in a myxoid chondrosarcoma. *Cancer Letters* 1996; 105: 77–90.
- Karlsson P, Holmberg E, Johansson K-A, Kindblom L-G, Carstensen J, Wallgren A. Soft tissue sarcoma after treatment for breast cancer. *Radiotherapy and Oncology* 1996; 38: 25–31.
- Kindblom L-G, Meis-Kindblom J M, Bertoni P, Bergh P, Berlin Ö, Gherlinzoni F, Picci P, Gunterberg B. Synovial sarcoma: Identification of high and low risk groups based on a series of 122 cases with longterm follow-up. *Mod Pathol* 1996; 9: 8A.
- Meis-Kindblom J M, Stenman G, Kindblom L-G. Differential diagnosis of small round cell tumors. *Seminars in Diagn Pathol* 1996; 13: 213–41.
- Stenman G, Peydrö-Mellquist A, Söderkvist P, Sjögren H, Røijer E, Meis-Kindblom J M, Kindblom L-G, Gunterberg B. Gene amplification and p53 expression and mutation pattern in 123 bone and soft tissue sarcomas. *Mod Pathol* 1996; 9: 14A.
- Wanschura S, Belge G, Stenman G, Kools P, Dal Cin P, Schoenmakers E, Huysmans C, Van der Berghe H, Bartschke S, Van de Ven W, Bullerdiek J. Mapping of translocation breakpoints of primary pleomorphic adenomas and lipomas within a common region of chromosome 12. *Cancer Genet Cytogenet* 1996; 86: 39–45.
- Åkerman M, Kindblom L-G, Meis-Kindblom J M, Myhre-Jensen O, Stenwig E, Willén H, Virolainen M, Lilleng P, Bjerkehagen B, Walaas L, Halvorsen T. Histopathologic peer review of central registry soft tissue sarcoma. *Acta Orthop Scand* 1996; 67(Suppl. 272): 46.
- Bergh P, Gunterberg B, Kindblom L-G, Meis-Kindblom J M, Stenman G, Ryd W, Engström K. Synchronous and metachronous radiosensitive myxoid liposarcoma—a clinicopathologic study of 2 cases. *Acta Orthop Scand* 1997; 68(Suppl. 274): 71.
- Gunterberg B. Tumor resection and skeletal reconstruction in the extremities. In *Osseointegration in Skeletal Reconstruction and Joint Replacement*. Eds: Brånemark, Rydevik, Skelak. Quintessence Publishing Co, Inc. Chicago, 1997.
- Gunterberg B. Is limb amputation necessary for locally advanced soft tissue sarcomas? *European Journal of Cancer* 1997; 33: 2295–301.
- Kindblom L-G, Meis-Kindblom J M, Bertoni F, Bacchini P, Remotti F, Gunterberg B. Clear cell chondrosarcoma of bone—new observations on a rare entity. *Mod Pathol* 1997; 11A.
- Remotti F, Kindblom L-G, Meis-Kindblom J M. Metastatic neurothekeoma: A previously undescribed entity. *Acta Orthop Scand* 1997; 68(Suppl. 274): 72.
- Angervall L, Persson S, Stenman G, Kindblom L-G. Large cell epithelioid osteoblastoma. A benign tumor simulating telangiectatic osteosarcoma and epithelioid angiosarcoma. *Human Pathol* 1998 in press.
- Fanburg-Smith J C, Meis-Kindblom J M, Fante R, Kindblom L-G. Malignant granular cell tumor of soft tissue: Diagnostic criteria and clinicopathologic correlation. *Am J Surg Pathol*, 1998; 22: 779–94.
- Gisselsson D, Andreasson P, Meis-Kindblom J M, Kindblom L-G, Mertens F, Mandahl N. Amplification of 12q13 and 12q15 sequences in a sclerosing epithelioid fibrosarcoma. *Cancer Genet Cytogenet* 1998; 107: 102–6.
- Kindblom L-G, Meis-Kindblom J M, Widén S: To the Editor. Reply. "Unique secretion phenomenon in lipogenic tumors". *Hum Pathol* 1998; 29: 99–100.
- Kindblom L-G, Remotti H, Aldenborg F, Meis-Kindblom J M. Gastrointestinal pace-maker cell tumor (GIPACT). *Am J Pathol* 1998; 152: 1259–69.
- Kindblom L-G, Meis-Kindblom J M, Havel G, Busch C. Benign epithelioid schwannoma. *Am J Surg Pathol*, 1998; 22: 762–70.
- Meis-Kindblom J M, Kjellström C, Kindblom L-G. Inflammatory fibrosarcoma: Update, reappraisal and perspective on its place in the spectrum of inflammatory myofibroblastic tumors. *Seminars in Diagn Pathol* 1998; 15: 133–43.
- Meis-Kindblom J M, Kindblom L-G. Acral pleomorphic myxoinflammatory sarcoma (APMIS). A new low grade sarcoma. *Am J Surg Pathol* May 1998.
- Meis-Kindblom J M, Kindblom L-G. Angiosarcoma of soft tissue. A study of 80 cases. *Am J Surg Pathol* 1998; 22: 683–97.

Lund

- Bardi G, Johansson B, Pandis N, Heim S, Mandahl N, Bak-Jensen E, Fredriksen H, Andrén-Sandberg Å, Mitelman F. Recurrent chromosome aberrations in abdominal smooth muscle tumors. *Cancer Genet Cytogenet* 1992; 62: 43–6.
- Gustafson P, Herrlin K, Biling L, Willén H, Rydholm A. Necrosis observed on CT-enhancement is of prognostic value in soft tissue sarcoma. *Acta Radiologica* 1992; 33: 474–6.
- Gustafson P, Rydholm A. Selection bias in treatment of soft-tissue sarcomas. *J Bone Joint Surg (Br)* 1992; 74-B: 501–3.
- Gustafson P, Willén H, Fernö M, Baldetorp B, Åkerman M, Rydholm A. Soft tissue leiomyosarcoma of the extremities and trunkwall. A population-based epidemiologic and prognostic study of 48 patients. *Cancer* 1992; 70: 114–9.

- Kreicbergs A, Rydholm A. Soft tissue sarcoma. Current opinion in Orthopaedics 1992; 3: 777–83.
- Rydholm A. Soft tissue lesions in adults: Biopsy—yes or no? Ann Oncol 1992; 3 (suppl 2): 57–8.
- Solheim Ø, Saeter G, Elomaa I, Alvegård T A. The treatment of osteosarcoma: present trends. The Scandinavian Sarcoma Group experience. Ann Oncol 1992; (suppl 2) 3: 7–11.
- Åman P, Ron D, Mandahl N, Fioretos T, Heim S, Arheden K, Willén H, Rydholm A, Mitelman F. Rearrangement of the transcription factor gene CHOP in myxoid liposarcomas with t(12;16) (q13;p11). Genes Chromosomes Cancer 1992; 5: 278–85.
- Örndal C, Mandahl N, Rydholm A, Willén H, Brosjö O, Heim S, Mitelman F. Supernumerary ring chromosomes in five bone and soft tissue tumors of low and borderline malignancy. Cancer Genet Cytogenet 1992; 60: 170–5.
- Crozat A, Åman P, Mandahl N, Ron D. Fusion of CHOP to a novel RNA-binding protein in human myxoid liposarcoma. Nature 1993; 363: 640–4.
- Fomander P, Ornstein E, Rydholm A. Reconstructive surgery for metastatic destruction of the acetabulum. Acta Oncol 1993.
- Gustafson P, Dreinhöfer K E, Rydholm A. Metastasis-free survival after local recurrence in soft tissue sarcoma. J Bone Joint Surg (Br) 1993; 75 B: 658–60.
- Gustafson P, Rydholm A, Willén H, Baldetorp B, Fernö M, Åkerman M. Liposarcoma: A population-based epidemiologic and prognostic study of 43 patients, including tumor DNA-content. Int J Cancer 1993; 55: 541–6.
- Mandahl N, Baldetorp B, Heim S, Fernö M, Åkerman M, Willén H, Rydholm A. Comparative cytogenetic and DNA flow cytometric analysis of 150 bone and soft-tissue tumors. Int J Cancer 1993; 3: 358–64.
- Mandahl N, Willén H, Rydholm A, Heim S, Bauer H C F, Mitelman F. Rearrangement of band q13 on both chromosomes 12 in a periosteal chondroma. Genes Chromosomes Cancer 1993; 6: 121–3.
- Mandahl N, Örndal C, Heim S, Willén H, Rydholm A, Bauer H, Mitelman F. Aberrations of chromosome segment 12q13–15 characterize a subgroup of hemangiopericytomas. Cancer 1993; 71: 3009–13.
- Mertens F, Mandahl N, Örndal C, Baldetorp B, Bauer H C F, Rydholm A, Wiebe T, Åkerman M, Mitelman F. Cytogenetic findings in 33 osteosarcomas. Int J Cancer 1993; 55: 44–50.
- Mertens F, Örndal C, Mandahl N, Heim S, Bauer H C F, Rydholm A, Tufvesson A, Willén H, Mitelman F. Chromosome aberrations in tenosynovial giant cell tumors and nontumorous synovial tissue. Genes Chromosomes Cancer 1993; 6: 212–7.
- Wiklund T, Alvegård T A, Mouridsen H T, Rydholm A, Blomqvist C P. Marginal surgery and postoperative radiotherapy in soft tissue sarcoma. Eur J Cancer 1993; 29A: 306–9.
- Örndal C, Mandahl N, Rydholm A, Mitelman F. Cytogenetic evolution in primary tumors, local recurrences, and pulmonary metastases of two soft tissue sarcomas. Clin Exp Met 1993; 11: 401–8.
- Örndal C, Mandahl N, Rydholm A, Willén H, Brosjö O, Mitelman F. Chromosome aberrations and cytogenetic intratumor heterogeneity on chondrosarcomas. J Cancer Res Clin Onc 1993; 120: 51–6.
- Örndal C, Mandahl N, Rydholm A, Willén H, Carlén B, Heim S, Mitelman F. Cytogenetic heterogeneity and clonal evolution in a recurrent fibrosarcoma. J Exp Clin Cancer Res 1993; 12(1): 23–31.
- Choong P F M, Åkerman M, Willén H, Andersson C, Gustafson P, Baldetorp B, Fernö M, Alvegård T A, Rydholm A. Prognostic value of Ki-67 expression in 182 soft tissue sarcomas. Proliferation—a marker of metastasis? APMIS 1994; 102: 915–24.
- Dreinhöfer K E, Åkerman M, Willén H, Andersson C, Gustafson P, Rydholm A. Proliferating cell nuclear antigen (PCNA) in high-grade malignant fibrous histiocytoma: prognostic value in 48 patients. Int J Cancer 1994; 59: 379–82.
- Franzén H, Carlsson Å, Johnson R, Rydholm A, Önnarfält R. Bony atrophy after mega total hip replacement for bone tumors. 11 cases followed for 3–15 years. Acta Orthop Scand 1994; 65: 513–6.
- Franzén H, Rydholm A, Önnarfält R. Mega total hip replacement after resection of metastasis from renal adenocarcinoma. Scand J Urol Nephrol 1994; 28: 307–9.
- Gustafson P, Dreinhöfer K, Rydholm A. Soft tissue sarcoma should be treated at a tumor center. A comparison of quality of surgery in 375 patients. Acta Orthop Scand 1994; 65: 47–50.
- Gustafson P. Soft tissue sarcoma. Epidemiology and prognosis in 508 patients. Acta Orthop Scand 1994; (suppl 259) 65: 1–31.
- Mandahl N, Höglund M, Mertens F, Rydholm A, Willén H, Brosjö O, Mitelman F. Cytogenetic aberrations in 188 benign and borderline adipose tissue tumors. Genes Chromosomes Cancer 1994; 9: 207–15.
- Mandahl N, Mertens F, Willén H, Rydholm A, Brosjö O, Mitelman F. A new cytogenetic subgroup in lipomas: Loss of chromosome 16 material in spindle cell and pleomorphic lipomas. J Cancer Res Clin Oncol 1994; 120: 707–11.
- Mandahl N, Mertens F, Åman P, Rydholm A, Brosjö O, Willén H, Mitelman F. Nonrandom secondary chromosome aberrations in liposarcomas with t(12;16). Int J Oncol 1994; 4: 307–10.
- Mandahl N. Lipoma cytogenetics. In: Chromosome 12 aberrations in human solid tumors. Cytogenetics and molecular genetics. Eds J Bullerdieck and S Bartnitzke, Springer-Verlag, Berlin, 1994; 26–38.
- Mertens F, Albert A, Heim S, Lindholm J, Brosjö O, Mitelman F, Mandahl N. Clonal structural chromosome aberrations in fibrous dysplasia. Genes Chromosomes Cancer 1994; 11: 271–2.
- Mertens F, Kreicbergs A, Rydholm A, Willén H, Carlén B, Mitelman F, Mandahl N. Clonal chromosome aberrations in three sacral chordomas. Canc Genet Cytogenet 1994; 73: 147–51.
- Mertens F, Rydholm A, Brosjö O, Willén H, Mitelman F, Mandahl N. Hibernomas are characterized by rearrangements of chromosome bands 11q13–21. Int J Cancer 1994; 58: 503–5.
- Mertens F, Rydholm A, Kreicbergs A, Willén H, Jonsson K, Heim S, Mitelman F, Mandahl N. Loss of chromosome band 8q24 in sporadic osteochondiliginous exostoses. Genes Chromosomes Cancer 1994; 9: 8–12.

- Nilbert M, Mandahl N, Åman P, Rydholm A, Mitelman F. No rearrangements of the *CHOP* gene in malignant fibrous histiocytoma. *Cancer Genet Cytogenet* 1994; 72: 155–6.
- Nilbert M, Rydholm A, Willén H, Mitelman F, Mandahl N. *MDM2* gene amplification correlates with ring chromosomes in soft tissue tumors. *Genes Chromosomes Cancer* 1994; 9: 261–5.
- Panagopoulos I, Mandahl N, Ron D, Höglund M, Nilbert M, Mertens F, Mitelman F, Åman P. Characterization of the *CHOP* breakpoints and fusion transcripts in myxoid liposarcomas with the 12;16 translocation. *Cancer Res* 1994; 54: 6500–3.
- Saeter G, Strander H, Monge O, Alvegård T A. Dose escalating etoposide (E), ifosfamide (I) and granulocyte-colony stimulating factor (G-CSF) (VIG-regimen) in advanced adult soft tissue sarcoma. A Scandinavian Sarcoma Group study. *Ann Oncol* 1994; (suppl 5) 8: 171.
- Örmdal C, Rydholm A, Willén H, Mitelman F, Mandahl N. Cytogenetic intratumor heterogeneity in soft tissue tumors. *Cancer Genet Cytogenet* 1994; 78: 127–37.
- Örmdal C. Cytogenetic heterogeneity and clonal evolution in bone and soft tissue tumors. Lund University, Thesis, 1994.
- Aspberg F, Mertens F, Bauer H C F, Lindholm J, Mitelman F, Mandahl N. Near-haploidy in two malignant fibrous histiocytomas. *Cancer Genet Cytogenet* 1995; 79: 119–22.
- Choong P F M, Gustafson P, Rydholm A. Size and timing of local recurrence predicts metastasis in soft tissue sarcoma. Growth rate index retrospectively analysed in 134 cases. *Acta Orthop Scand* 1995; 66: 147–52.
- Choong P F M, Gustafson P, Willén H, Åkerman M, Baldebert B, Fernö M, Alvegård A, Rydholm A. Prognosis following locally recurrent soft-tissue sarcoma. A staging system based on primary and recurrent tumor characteristics. *Int J Cancer* 1995; 60: 33–7.
- Choong P F M, Willén H, Nilbert M, Mertens F, Mandahl N, Carlén B, Rydholm A. Pigmented villonodular synovitis. Monoclonality and metastasis—a case for neoplastic origin? *Acta Orthop Scand* 1995; 66: 64–8.
- Choong P F M, Åkerman M, Rydholm A, Andersson C, Fernö M, Willén H, Gustafson P, Alvegård T A. Proliferating cell nuclear antigen (PCNA) and Ki-67 expression in soft tissue sarcoma. Is prognostic importance histotype specific? *APMIS* 1995; 103: 797–805.
- Dreinhöfer K E, Rydholm A, Bauer H C F, Kreicbergs A. Giant cell tumors with fracture at diagnosis. Curettage and acrylic cementation in 10 of 15 cases. *J Bone J Surg (Br)* 1995; 77-B: 189–93.
- Herrlin K, Willén H, Wiebe T. Flare phenomenon in osteosarcoma after complete remission. *J Nucl Med* 1995; 36: 1429–31.
- Labelle Y, Zucman J, Stenman G, Kindblom L-G, Knight J, Turc-Carel C, Dockhorn-Dworniczak B, Mandahl N, Desmazes C, Peter M, Aurias A, Delattre O, Thomas G. Oncogenic conversion of a novel orphan nuclear receptor by chromosome translocation. *Hum Mol Genet* 1995; 4: 2219–26.
- Mandahl N, Limon J, Mertens F, Nedoszytko B, Gibas Z, Denis A, Willén H, Rydholm A, Szadowska A, Kreicbergs A, Rys J, Debiec-Rychter M, Mitelman F. Nonrandom secondary chromosome aberrations in synovial sarcomas with (X;18). *Int J Oncol* 1995; 7: 495–9.
- Mertens F, Heim S, Kullendorf C-M, Donnér M, Hägerstrand I, Mitelman F, Mandahl N. Clonal karyotypic evolution in a pediatric neurofibrosarcoma. *Cancer Genet Cytogenet* 1995; 81: 135–8.
- Mertens F, Rydholm A, Bauer H C F, Limon J, Nedoszytko B, Szadowska A, Willén H, Heim S, Mitelman F, Mandahl N. Cytogenetic findings in malignant peripheral nerve sheath tumors. *Int J Cancer* 1995; 61: 793–8.
- Mertens F, Willén H, Rydholm A, Brosjö O, Carlén B, Mitelman F, Mandahl N. Trisomy 20 is a primary chromosome aberration in desmoid tumors. *Int J Cancer* 1995; 63: 527–9.
- Nilbert M, Rydholm A, Mitelman F, Meltzer P S, Mandahl N. Characterization of the 12q13–15 amplicon in soft tissue tumors. *Cancer Genet Cytogenet* 1995; 83: 32–6.
- Panagopoulos I, Mandahl N, Mitelman F, Åman P. Two distinct *FUS* breakpoint clusters in myxoid liposarcoma and acute myeloid leukemia with the translocations t(12;16) and t(16;21). *Oncogene* 1995; 11: 1133–7.
- Stenman G, Andersson H, Mandahl N, Meis-Kindblom J, Kindblom L-G. Translocation t(9;22)(q22;q12) is a primary cytogenetic abnormality in extraskeletal myxoid chondrosarcoma. *Int J Cancer* 1995; 62: 398–402.
- Willén H, Åkerman M, Carlén B. Fine needle aspiration in the diagnosis of soft tissue tumors. A review of 22 years experience. *Cytopathology* 1995; 6: 236–48.
- Åkerman M, Dreinhöfer K, Rydholm A, et al. Cytogenetic studies on fine-needle aspiration samples from osteosarcoma and Ewing's sarcoma. *Diagn Cytopathol* 1995; 15: 17–22.
- Alvegård T A. Radiotherapy for cancer. Bone sarcomas. *Acta Oncologica* 1996; (suppl 7) 35: 123–4.
- Alvegård T A. Radiotherapy for cancer. Soft tissue sarcomas. *Acta Oncologica* 1996; (suppl 7) 35: 117–22.
- Carlén B. Electron microscopy in diagnostic pathology with reference to mesenchymal tumors. Lund University, Thesis, 1996.
- Choong P F M, Fernö M, Åkerman M, Gustafson P, Rydholm A. Urokinase plasminogen activator levels correlate with relapse in soft tissue sarcoma. *Int J Cancer* 1996; 69: 268–72.
- Choong P F M, Mertens F, Mandahl N, Åkerman M, Willén H, Alvegård T A, Kreicbergs A, Mitelman F, Rydholm A. 19p+ marker chromosome correlates with relapse in malignant fibrous histiocytoma. *Genes Chromosomes Cancer* 1996; 16: 88–93.
- Fletcher C D M, Åkerman M, Dal Cin P, De Wever I, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, Van den Gerghe H, Van de Ven W, Vanni R, Willén H. Correlation between clinicopathologic features and karyotype in lipomatous tumors. A report of 178 cases from the chromosome and morphology (CHAMP) collaborative study group. *Am J Pathol* 1996; 148: 623–30.
- Lothe R A, Karhu R, Mandahl N, Mertens F, Saeter G, Heim S, Børresen-Dale A-L, Kallioniemi O-P. Gain of 17q24-qter detected by comparative genomic hybridization in malignant tumors from patients with von Recklinghausen's neurofibromatosis. *Cancer Res* 1996; 56: 4778–81.
- Mandahl N, Limon J, Mertens F, Arheden K, Mitelman F. Ring marker containing 17q and chromosome 22 in a case of dermatofibrosarcoma protuberans. *Cancer Genet Cytogenet* 1996; 89: 88–91.

- Mandahl N, Åkerman M, Dal Cin P, De Wever I, Fletcher C D M, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciot R, Tallini G, Van den Berghe H, Van de Ven W, Vanni R, Willén H. Duplication of chromosome segment 12q15–24 is associated with atypical lipomatous tumors. A report of the CHAMP Collaborative Study Group. *Int J Cancer* 1996; 67: 632–5.
- Mandahl N. Cytogenetics and molecular genetics of bone and soft tissue tumors. *Adv Cancer Res* 1996; 69: 63–99.
- Mertens F, Jonsson K, Willén H, Rydholm A, Kreicbergs A, Eriksson L, Olsson-Sandin G, Mitelman F, Mandahl N. Chromosome rearrangements in synovial chondromatous lesions. *Br J Cancer* 1996; 72: 251–4.
- Panagopoulos I, Åman P, Mertens F, Mandahl N, Rydholm A, Bauer H C F, Mitelman F. Genomic PCR detects tumor cells in peripheral blood from patients with myxoid liposarcoma. *Genes Chromosomes Cancer* 1996; 17: 102–7.
- Panagopoulos I, Höglund M, Mertens F, Mandahl N, Mitelman F, Åman P. Fusion of the *EWS* and *CHOP* genes in myxoid liposarcoma. *Oncogene* 1996; 12: 489–94.
- Petit M M R, Mols R, Schoenmakers E F P M, Mandahl N, Van De Ven W J M. *LPP*, the preferred fusion partner gene of *HMGIC* in lipomas, is a novel member of the LIM protein gene family. *Genomics* 1996; 36: 118–29.
- Rosai J, Åkerman M, Dal Cin P, De Wever I, Fletcher C D M, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciot R, Tallini G, Van Den Berghe H, Van De Ven W, Vanni R, Willén H. Combined morphologic and karyotypic study of 59 atypical lipomatous tumors. A report of the CHAMP study group. *Am J Surg Pathol* 1996; 20: 1182–9.
- Rydholm A. Chromosomal aberrations in musculoskeletal tumours: clinical importance. *J Bone J Surg* 1996; 78-B: 501–6.
- Szymanska J, Mandahl N, Mertens F, Tarkkanen M, Karaharju E, Knuutila S. Ring chromosomes in paraosteal osteosarcoma contain sequences from 12q13–15: A combined cytogenetic and comparative genomic hybridization study. *Genes Chromosomes Cancer* 1996; 16: 31–4.
- Tallini G, Åkerman M, Dal Cin P, De Wever I, Fletcher C D M, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciot R, Van den Berghe H, Van de Ven W, Vanni R, Willén H. Combined morphologic and karyotypic study of 28 myxoid liposarcomas: Implications for a revised morphologic typing. *Am J Surg Pathol* 1996; 20: 1047–55.
- Åkerman M, Dreinhöfer K E, Rydholm A, Willén H, Mertens F, Mitelman F, Mandahl N. Cytogenetic studies on fine-needle aspiration samples from osteosarcoma and Ewing's sarcoma. *Diagn Cytopathol* 1996; 15: 17–22.
- Åkerman M, Willén H, Carlén B, Mandahl N, Mertens F. Fine needle aspiration of synovial sarcoma. A comparative histological–cytological study of 15 cases, including immunohistochemical, electron-microscopic and cytogenetic examinations and DNA-ploidy analysis. *Cytopathology* 1996; 7: 187–200.
- Åman P, Panagopoulos I, Lassen C, Fioretos T, Mencinger M, Toresson H, Höglund M, Fortster A, Rabbitts T H, Ron D, Mandahl N, Mitelman F. Expression patterns of the human sarcoma associated genes *FUS* and *EWS* and the genomic structure of *FUS*. *Genomics* 1996; 37: 1–8.
- Alvegård T A, Saeter G. The role of pulmonary metastasectomy for soft tissue sarcoma. *Acta Orthop Scand* 1997; (suppl 273) 68: 145–7.
- Alvegård T A. The Scandinavian Sarcoma Group. Background, organization, and the Central Register—the first 17 years. *Acta Orthop Scand* 1997; (suppl 273) 68: 9–13.
- Dal Cin P, Sciot R, Panagopoulos I, Åman P, Samson I, Mandahl N, Mitelman F, Van Den Berghe H, Fletcher C D M. Additional evidence of a variant translocation t(12;22) with *EWS/CHOP* fusion in myxoid liposarcoma: clinicopathological features. *J Pathol* 1997; 182: 437–41.
- Gustafson P, Fernö M, Åkerman M, Baldetorp B, Willén H, Killander D, Rydholm A. Flow cytometric S-phase fraction in soft-tissue sarcoma: prognostic importance analysed in 160 patients. *Br J Cancer* 1997; 75: 94–100.
- Panagopoulos I, Lassen C, Isaksson M, Mitelman F, Mandahl N, Åman P. Characteristic sequence motifs at the breakpoints of the hybrid genes *FUS/CHOP*, *EWS/CHOP* and *FUS/ERG* in myxoid liposarcoma and acute myeloid leukemia. *Oncogene* 1997; 15: 1357–62.
- Saeter G, Alvegård T A, Elomaa I, Wiebe T, Björk O, Strandner H, Solheim Ø. Chemotherapy for osteosarcoma and Ewing's sarcoma. *Acta Orthop Scand* 1997; (suppl 273) 68: 120–5.
- Saeter G, Alvegård T A, Monge O, Strander H, Turesson I, Klepp R, Söderberg M, Wist E, Raabe N, Erlanson M, Solheim Ø, Hannisdal E. Ifosfamide and continuous infusion etoposide in advanced adult soft tissue sarcoma. A Scandinavian Sarcoma Group phase II study. *Eur J Cancer* 1997; 33(10): 1551–8.
- Thiery J F, Alvegård T A, Sigurdsson, H et al Sarcoma Meta-analysis Collaboration (). Adjuvant chemotherapy for localised resectable soft-tissue sarcoma of adults: meta-analysis of individual data. *The Lancet* 1997; 350: 1647–54.
- Sciot R, Åkerman M, Dal Cin P, De Wever I, Fletcher C D M, Willén H, De Wever I, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Tallini G, Van Den Berghe H, Vanni R, Willén H. Cytogenetic analysis of subcutaneous angiolipoma: Further evidence supporting its difference from ordinary pure lipoma. A report of the CHAMP study group. *Am J Surg Pathol* 1997; 21: 441–4.
- Simon M–P, Pedetour F, Sirvent N, Grosgeorge J, Minoletti F, Coindre J–M, Terrier-Lacombe M–J, Mandahl N, Craver RD, Blin N, Sozzi G, Turc-Carel C, O'Brien KP, Kedra D, Fransson I, Guilbaud C, Dumanski JP. Deregulation of the platelet-derived growth factor B-chain gene via fusion with collagen gene COL1A1 in dermatofibrosarcoma protuberans and giant-cell fibroblastoma. *Nature Genet* 1997; 15: 95–8.
- Wiklund T, Saeter G, Strander H, Alvegård T A, Blomqvist C. The outcome of advanced soft tissue sarcoma patients with complete tumor regression after either chemotherapy alone or chemotherapy plus surgery. The Scandinavian Sarcoma Group experience. *Eur J Cancer* 1997; 33(3): 357–61.
- Kullendorf C M, Donnér M, Mertens F, Mandahl N. Chromosomal aberrations in a consecutive series of childhood rhabdomyosarcoma. *Med Pediatr Oncol* 1998; 30: 156–9.

- Mandahl N, Mertens F, Willén H, Rydholm A, Kreicbergs A, Mitelman F. Nonrandom pattern of telomeric associations in atypical lipomatous tumors with ring and giant marker chromosomes. *Cancer Genet Cytogenet* 1998; 103: 25–8.
- Mertens F, Fletcher C D M, Dal Cin P, De Wever I, Mandahl N, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, Van Den Berghe H, Vanni R, Willén H. Cytogenetic analysis of 46 pleomorphic soft tissue sarcomas and correlation with morphologic and clinical features: a report of the CHAMP study group. *Genes Chromosom Cancer* 1998; 22: 16–25.
- Nilbert M, Sactter G, Elomaa I, Monge O, Wiebe T, Alvegård T A. Ewing's sarcoma treatment in Scandinavia 1984–1990. 10-year result of the Scandinavian Sarcoma Group Protocol SSG IV. *Acta Oncol*, 1998; Vol 37: No 4, 375–8.
- Schuborg C, Mertens F, Rydholm A, Brosjö O, Dictor M, Mitelman F, Mandahl N. Cytogenetic analysis of four angiosarcomas from deep and superficial soft tissue. *Cancer Genet Cytogenet* 1998; 100: 52–6.
- Willén H, Åkerman M, Dal Cin P, De Wever I, Fletcher C D M, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, Van Den Berghe H, Vanni R. Comparison of chromosomal patterns with clinical features in 165 lipomas. A report of the CHAMP study group. *Cancer Genet Cytogenet* 1998; 102: 46–9.
- Åkerman M, Willén H. Critical review on the role of fine needle aspiration in soft tissue tumors. *Pathology Case Reviews* 1998; 3: 111–7.
- Gustafson P, Baldetorp B, Fernö M, Åkerman M. Prognostic implications of various models for calculation of S-phase fraction in 259 patients with soft tissue sarcoma. *Br J Cancer* 1999; 79(7/9): 1205–9.
- Stockholm*
- Castresana J S, Barrios C, Gomez Q L, Kreicbergs A. Amplification of the c-myc proto-oncogene in human chondrosarcoma. *Diagnostic Molecular Pathology (Am J Surg Pathol, Part B)* 1992; 1: 235–8.
- Forsslund G, Kreicbergs A, Nilsson B, Zetterberg A. Photographic densitometry for quantitative DNA analysis of cytological and histological specimens. *Analyt Quant Cytol Histol* 1992; Vol 14, No 2: 153–60.
- Saddegh M, Lindholm J, Lundberg A, Nilsson U, Kreicbergs A. Staging of soft tissue sarcomas. Prognostic analysis of clinical and pathological features. *J Bone Joint Surg* 1992; 74–B, no 4.
- Örndal C, Mandahl N, Rydholm A, Willén H, Brosjö O, Heim S, Mitelman F. Supernumerary ring chromosomes in five bone and soft tissue tumors of low or borderline malignancy. *Cancer Gen Cytogen* 1992; 60: 170–5.
- Barrios C, Castresana J S, Ruiz J, Kreicbergs A. Amplification of c-myc oncogene and absence of c-Ha-Ras point mutation in human bone sarcoma. *J Orthop Res* 1993; 11: 556–63.
- Castresana J S, Rubio M–P, Kunimi K, Barrios C, Kreicbergs A. Lack of mutation at codon 12 of the c-Ha-Ras oncogene in 51 human sarcomas assessed by PCR–RFLP. *Int J Oncol* 1993; 2: 823–5.
- Castresana S, Barrios C, Ruiz J, Gomez L, Kreicbergs A. Sporadic amplification of c-fms proto-oncogene in human musculoskeletal sarcomas. *Anticancer Research* 1993; 13: 807–10.
- Köhler P, Kreicbergs A. Chondrosarcoma treated by reimplantation of resected bone after autoclaving and supplementation with allogeneic bone matrix. A case report. *Clin Orthop* 1993; 294: 281–4.
- Mandahl N, Mertens F, Åman P, Rydholm A, Brosjö O, Willén H, Mitelman F. Nonrandom secondary chromosome aberrations in liposarcomas with t(12;16). *Int J Oncol* 1993; 4: 307–10.
- Mandahl N, Örndal C, Heim S, Willén H, Rydholm A, Bauer H C F, Mitelman F. Aberrations of chromosome segment 12q13–15 characterize a subgroup of hemangiopericytomas. *Cancer* 1993; 71: 3009–13.
- Mertens F, Mandahl N, Örndal C, Baldetorp B, Bauer H C F, Rydholm A, Wiebe T, Willén H, Åkerman M, Heim S, Mitelman F. Cytogenetic findings in 33 osteosarcomas. *Int J Cancer* 1993; 55: 44–50.
- Mertens F, Örndal C, Mandahl N, Heim S, Bauer H C F, Rydholm A, Tufvesson A, Willén H, Mitelman F. Chromosome aberrations in tenosynovial giant cell tumors and nontumorous synovial tissue. *Genes Chromosom Cancer* 1993; 6: 212–7.
- Saddegh M, Bauer H C F. Wound complications in surgery of soft tissue sarcoma. Analysis of 103 consecutive patients managed without adjuvant therapy. *Clin Orthop* 1993; 289: 247–53.
- Barrios C, Castresana J S, Falkmer U, Rosendahl I, Kreicbergs A. C-myc oncogene amplification and cytometric DNA ploidy pattern as prognostic factors in musculoskeletal neoplasms. *Int J Cancer* 1994; 58: 781–6.
- Barrios C, Castresana J S, Kreicbergs A. Clinico-pathological correlations and short-term prognosis in musculoskeletal sarcoma with c-myc oncogene amplification. *Am J Clin Oncol* 1994; 17: 273–6.
- Barrios C, Castresana J S, Ruiz J, Kreicbergs A. Amplification of the c-myc proto-oncogene in soft tissue sarcomas. *Oncology* 1994; 51: 13–7.
- Castresana J S, Barrios C, Gomez L, Kreicbergs A. No association between c-myc amplification and TP53 mutation in sarcoma tumorigenesis. *Cancer Genet Cytogenet* 1994; 76: 47–9.
- Eriksö S, Arner E, Spastokoukotskoja T, Wang L, Karlsson A, Brosjö O, Gunven P, Juliusson G, Liliemark J. Properties and levels of deoxynucleoside kinases in normal and tumor cells; implications for chemotherapy. *Adv Enzyme Regul* 1994; 34: 13–25.
- Mandahl N, Höglund M, Mertens F, Rydholm A, Willén H, Brosjö O, Mitelman F. Cytogenetic aberrations in 118 benign and borderline adipose tissue tumors. *Genes Chromosomes Cancer* 1994; 9: 207–15.
- Mandahl N, Mertens F, Willén H, Rydholm A, Brosjö O, Mitelman F. A new cytogenetic subgroup in lipomas: Loss of chromosome 16 material in spindle cell and pleomorphic lipomas. *J Cancer Res Clin Oncol* 1994; 120: 707–11.
- Mertens F, Albert A, Heim S, Lindholm J, Brosjö O, Mitelman F, Mandahl N. Clonal structural chromosome aberrations in fibrous dysplasia. *Genes Chromosomes Cancer* 1994; 11: 271–2.

- Mertens F, Rydholm A, Brosjö O, Willen H, Mitelman F, Mandahl N. Hibernomas are characterized by rearrangements of chromosome bands 11q13–21. *Int J Cancer* 1994; 58: 503–5.
- Mertens F, Kreicbergs A, Rydholm A, Willen H, Carlen B, Mitelman F, Mandahl N. Clonal chromosome aberrations in three sacral chordomas. *Cancer Genet Cytogenet* 1994; 73: 147–51.
- Mertens F, Rydholm A, Kreicbergs A, Willen H, Jonsson K, Heim S, Mitelman F, Mandahl N. Loss of chromosome band 8q24 in sporadic osteocartilaginous exostoses. *Genes Chromosom Cancer* 1994; Vol 9: 8–12.
- Persson E V, Bauer H C F. Sudden hypotension and profuse bleeding during intramedullary nailing of the femur in cancer patients: A report of two cases. *Acta Orthop Scand* 1994; 65: 564–7.
- Söderlund V, Göransson H, Bauer H C F. Magnetic resonance imaging of benign peripheral nerve sheath tumors. *Acta Radiologica* 1994; 35: 282–6.
- Trovik C S, Bauer H C F. Local recurrence of soft tissue sarcoma a risk factor for late metastases: 379 patients followed for 0.5–20 years. *Acta Orthop Scand* 1994; 65: 553–8.
- Örmdal C, Mandahl N, Rydholm A, Willen H, Brosjö O, Heim S, Mitelman F. Chromosome aberrations and cytogenetic intratumor heterogeneity in chondrosarcomas. *Cancer Res Clin Onc* 1993; 120: 51–6.
- Aspberg F, Mertens F, Bauer H C F, Lindholm J, Mitelman F, Mandahl N. Near-haploidy in two malignant fibrous histiocytomas. *Cancer Genet Cytogenet* 1995; 79: 119–22.
- Bauer H C F, Brosjö O, Kreicbergs A, Lindholm J. Low risk of recurrence of enchondroma and low-grade chondrosarcoma in extremities: 80 patients followed for 2–25 years. *Acta Orthop Scand* 1995; 66: 283–8.
- Bauer H C F, Wedin R. Survival after surgery for spinal and extremity metastases: Prognostication in 241 patients. *Acta Orthop Scand* 1995; 66: 143–6.
- Castresana J S, Rubio M–P, Gomez L, Kreicbergs A, Barrios C. Detection of TP53 gene mutations in human sarcomas. *European Journal of Cancer* 1995; Vol 31A, No 5: 735–8.
- Dreinhöfer K, Rydholm A, Bauer H C F, Kreicbergs A. Giant cell tumors with fracture at diagnosis. Curettage and acrylic cementation in 10 of 15 cases. *J Bone Joint Surg (Br)* 1995; 77–B 189–93.
- Gomez L, Barrios C, Kreicbergs A, Pestana A, Castresana J. Absence of mutation at the GAP related domain of the neurofibromatosis type I gene in sporadic neurofibrosarcomas and other bone and soft tissue sarcomas. *Cancer Genet Cytogenet* 1995; 81 (2): 173–4.
- Mandahl N, Limon J, Mertens F, Nedoszytko B, Gibas Z, Denis A, Willen H, Rydholm A, Szadowska A, Kreicbergs A, Rys J, Debiec–Rychter M, Mitelman F. Nonrandom secondary chromosome aberrations in synovial sarcomas with t(X;18). *Int J Oncol* 1995; 7: 495–9.
- Mertens F, Rydholm A, Bauer H C F, Limon J, Nedoszytko B, Szadowska A, Willén H, Heim S, Mitelman F, Mandahl N. Cytogenetic findings in malignant peripheral nerve sheath tumors. *Int J Cancer* 1995; 61: 793–8.
- Mertens F, Willen H, Rydholm A, Brosjö O, Carlen B, Mitelman F, Mandahl N. Trisomy 20 is a primary chromosome aberration in desmoid tumors. *Int J Cancer* 1995; 63: 527–9.
- Spastokoukotskoja T, Arner E S J, Brosjö O, Gunven P, Juliusson G, Liliemark J, Eriksson S. Expression of deoxycytidine kinase and phosphorylation of 2-chlorodeoxyadenosine in human normal and tumour cells and tissue. *Eur J Cancer* 1995; 31A: 202–8.
- Strander H, Bauer H C F, Brosjö O, Fernberg J O, Kreicbergs A, Nilsson U, Silfverswärd C, Signomklao T, Söderlund V. Long-term adjuvant interferon treatment of human osteosarcoma: a pilot study. *Acta Oncologica* 1995; 34: 877–80.
- Jenner G, Söderlund V, Bauer H C F, Brosjö O. MR imaging of skeletal muscle hemangiomas: A report of 16 cases. *Acta Radiologica* 1996; 37: 140–4.
- Kreicbergs A, Bauer H C F, Brosjö O, Lindholm J, Skoog L, Söderlund V. Cytologic diagnosis of bone tumors based on fine needle aspiration biopsy. *J Bone Joint Surg [Br]* 1996; 78–B:258–63.
- Mertens F, Jonsson K, Willen H, Rydholm A, Kreicbergs A, Eriksson L, Olsson–Sandin G, Mitelman F, Mandahl N. Chromosome rearrangements in synovial chondromatous lesions. *Br J Cancer* 1996; 74: 251–4.
- Panagopoulos I, Åman P, Mertens F, Mandahl N, Rydholm A, Bauer H C F, Mitelman F. Genomic PCR detects tumor cells in peripheral blood from patients with myxoid liposarcoma. *Genes Chromosom Cancer* 1996; 17: 102–7.
- Stark A, Bauer H C F. Reconstruction in metastatic destruction of the acetabulum. Support rings and arthroplasty in 12 patients. *Acta Orthop Scand* 1996; 67: 435–8.
- Bauer H C F. Posterior decompression and stabilization for thoracolumbar metastases: analysis of 69 consecutive patients. *J Bone Joint Surg (Am)* 1997; 79–A 514–22.
- Mandahl N, Mertens F, Willen H, Rydholm A, Kreicbergs A, Mitelman F. Nonrandom pattern of telomeric associations in atypical lipomatous tumors with ring and giant marker chromosomes. Submitted to *Cancer Genetics and Cytogenetics* 1997.
- Söderlund V, Jonsson C, Bauer H C F, Brosjö O, Jacobsson H. Comparison of ^{99m}Tc –MIBI and ^{99m}Tc –Tetrofosmin uptake by musculoskeletal sarcoma. *J Nucl Med* 1997; 38: 682–6.
- Söderlund V, Larsson S A, Bauer H C F, Brosjö O, Larsson O, Jacobsson H. Use of ^{99m}Tc –MIBI scintigraphy in the evaluation of the response of osteosarcoma to chemotherapy. *Eur J Nucl Med* 1997; 24: 511–5.
- Jin Y, Jin C, Arheden K, Larsson O, Bauer H C F, Mandahl N, Mertens F. Unbalanced chromosome rearrangements in a metastasizing salivary gland tumor with benign histology. *Cancer Genet Cytogenet* 1998; 102: 59–64.
- Schuborg C, Mertens F, Rydholm A, Brosjö O, Dictor M, Mitelman F, Mandahl N. Cytogenetic analysis of four angiosarcomas from deep and superficial soft tissue. *Cancer Genet Cytogenet* 1998; 100: 52–6.

Umeå

- Broström L-Å, Cmalic S, Löfvenberg R, Boquist L, Stenling R. Growth patterns and cell kinetics of human osteosarcoma xenografts in serial passages in nude mice using in vivo labeling with iododeoxyuridine. *J Cancer Res Clin Oncol* 1996; 122: 141–6.
- Broström L-Å, Cmalic S, Löfvenberg R, Stenling R, Boquist L. Structure, growth and cell proliferation of human osteosarcoma and malignant fibrous histiocytoma xenografts in serial transplantation in nude mice. *Acta Pathologica Microbiologica and Immunologica Scandinavica (APMIS)* 1996; 104: 775–83.
- Cmalic S, Bergström P, Löfvenberg R, Henriksson R, Broström L-Å. Interaction between amphotericin B, carboplatin, and radiation in human osteosarcoma xenografts in nude mice. *Oncology Reports* 1996; 3: 609–12.
- Cmalic S, Bergström P, Löfvenberg R, Henriksson R, Broström L-Å. Antagonistic effect of amphotericin B on carboplatin antitumour activity in human osteosarcoma xenografts. *Anticancer Drugs* 1996; 7: 1–4.
- Lundgren-Eriksson L, Carlsson A, Ottosson-Lönn S, Ryd W, Hultborn R. Chlorpromazine—induced hypothermia: Effect on progression and survival in mice; *Anticancer Res* 1996; 16 (1): 333–6.
- Cmalic S, Broström L-Å, Boquist L, Löfvenberg R. A novel spontaneous metastasis model of human osteosarcoma developed using orthotopic transplantation of intact tumor tissue into tibia of nude mice. *Clin Exp Metastasis* 1997; 15: 164–72.
- Lundgren-Eriksson L, Carlsson A, Eksborg S, Ryd W, Vesanen R, Hultborn R. Pharmacokinetics of doxorubicin and epirubicin in mice during chlorpromazine—induced hypothermia. *Cancer Chemother Pharmacol* 1997; 40 (5): 419–24.