

# References

1. **Hippocrates 400 B.C.** English translation by E.T. Withington, pp. 347—51, London: William Heinemann, New York: C.P. Putnam's Sons, 1927.
2. **Büschelberger H.** Behandlung des angeborenen Klumpfusses. *Beitr Orthop Traumatol* 10:95—103, 1963.
3. **Ryöppy S., Sairanen H.** Neonatal operative treatment of club foot. *J Bone Joint Surg* 65—B:320—5, 1983.
4. **Seyfarth H.** Derzeitige Gesichtspunkte in der Therapie des angeborenen Klumpfusses. *Forsch Fortschr* 36:362—6, 1962.
5. **Bagg H.J.** Hereditary abnormalities of the limbs, their origin and transmission. *Am J anat* 43:167—219, 1929.
6. **Clark C.E., Cowell H.R., Telfer M.A., Casey P.A.** Trisomy 6g25—6gter in two sisters resulting from maternal 6; 11 translocation. *Am J Med Genet* 5:171—8, 1980.
7. **Cowell H.R., Wein B.K.** Current concepts review genetic aspects of club foot. *J Bone Joint Surg* 62—A:1381—4, 1980.
8. **MacLeod P., Patriquin H.** The whistling face syndrome — cranio-carpo-tarsal dysplasia. *Clin Pediatr* 13:184—9, 1974.
9. **McCormack M.K., Coppola-McCormack P.J., Lee M.** Autosomal dominant inheritance of distal arthrogryposis. *Am J Med Genet* 6:163—9, 1980.
10. **Robertson F.W., Kozlowski K., Middleton R.W.** Larsens syndrome. *Clin Pediatr* 14:53—60, 1975.
11. **Robinow M., Johnson G.F.** The Gordon syndrome: Autosomal dominant cleft palate, camptodactyly, and clubfeet. *Am J Med Genet* 9:139—46, 1981
12. **Wilson D.W., Chrispin A.R., Carter C.O.** Diastrophic dwarfism. *Arch Dis Child* 44:48—58, 1969.
13. **Tachdjian M.O.** *Pediatric Orthopedics*, p. 1274. W.B. Saunders Company. Philadelphia, Il., 1972.
14. **Attenborough C.G.** Early posterior soft-tissue release in severe congenital talipes equinovarus. *Clin Orthop* 84:71—8, 1972.
15. **Hersch A.** The role of surgery in the treatment of club feet. *J Bone Joint Surg* 49—A:1684—96, 1967.
16. **Lehman W.B.** *The Clubfoot*. J.B. Lippincott Company. Philadelphia, Il., 1980.
17. **Pokrassa M.A., Rodgveller B.** Talipes equinovarus. Current concepts. *J Am Pediatr assoc* 71:472—81, 1981.
18. **Waisbrod H.** Congenital club foot. An anatomical study. *J Bone Joint Surg* 55—B:796—801, 1973.

19. **Wynne-Davies R.** Family studies and the cause of congenital club foot. *J Bone Joint Surg* 46—B:445—63, 1964.
20. **Attenborough C.G.** Severe congenital talipes equinovarus. *J Bone Joint Surg* 48,1:31—9, 1966.
21. **Templeton A.W., McAlister W.H., Zim I.D.** Standardization of terminology and evaluation of osseous relationships in congenitally abnormal feet. *Am J Rtg* 93:374—81, 1965.
22. **Cartner M.J.** The treatment of congenital talipes equinovarus. *Br J Hosp Med* 11:303—9, 1974.
23. **Taylor J.F., Oyemade G.A.A., Shaw E., Ankers P., Davies C., Jenkins A.C.** Primary treatment of rigid congenital talipes equino-varus. *Physiotherapy* 62:89—93, 1976.
24. **Ehrenfried A.** The occurrence and etiology of club-foot. *JAMA* 59:1940—3, 1912.
25. **Kite J.H.** The treatment of congenital clubfeet. A study of the results in two hundred cases. *JAMA* 99:1156—62, 1932.
26. **Frosch.** Statistik des angeborenen Klumpfußes. Zur Erblichkeit des angeborenen Klumpfußes. *Z Orthop* 62:186—7, 1935.
27. **Solonen K.A., Parkkulainen K.V.** Congenital clubfoot. Results of treatment. *Ann Chir Gynaecol* 48:130—40, 1958.
28. **MacEven G.D., Scott D.J. Jr., Shands A.R. Jr.** Follow-up survey of clubfoot. *JAMA* 175:427—30, 1961.
29. **Ponseti I.V., Smoley E.N.** Congenital clubfoot: The results of treatment. *J Bone Joint Surg* 45—A: 261—75, 1963.
30. **Kite J.H.** *The Clubfoot.* Grune & Stratton. New York. London, 1964.
31. **Chung C.S., Nemecek R.W., Larsen I.J., Ching C.H.S.** Genetic and epidemiological studies of clubfoot in Hawaii. *Hum Hered* 19:321—42, 1969.
32. **Yamamoto H.** A clinical, genetic and epidemiologic study of congenital club foot. *Jinrui Idengaku Zasshi* 24:37—44, 1979.
33. **Gray D.H., Katz J.M.** A histochemical study of muscle in club foot. *J Bone Joint Surg* 63—B:417—23, 1981.
34. **Björnes T.** Congenital clubfoot. A follow-up of 95 persons treated in Sweden from 1940—1945 with special reference to their social adaption and subjective symptoms from the foot. *Acta Orthop Scand* 46:848—56, 1975.
35. **Grabbe W.A.** Aetiology of congenital talipes. *Br Med J* 2:1060—3, 1960.
36. **Somppi E., Sulamaa M.** Early operative treatment of congenital club foot. *Acta Orthop Scand* 42:513—20, 1971.
37. **Mau C.** Muskelbefunde und ihre Bedeutung beim angeborenen Klumpfußleiden. *Arch Ortop Trauma Surg* 28:292—308, 1930.
38. **Adams W.** *Club-Foot: Its causes, pathology, and treatment.* John Churchill and Sons. London, 1866.
39. **Parker R.W., Shattock S.G.** The pathology and etiology of congenital club-foot. *Trans Pathol Soc London* 35:423—44, 1884.
40. **Czeizel A., Bellyei A., Kranicz J., Mocsai L., Tusnady G.** Confirmation of the multifactorial threshold model for congenital structural talipes equinovarus. *J Med Genet* 18:99—100, 1981.
41. **Wynne-Davies R., Littlejohn A., Gormley J.** Aetiology and interrelationship of some common skeletal deformities. *J Med Genet* 19:321—8, 1982.

42. **Schrader E.** Über Ergebnisse in der Behandlung des angeborenen Klumpfußes mit Betrachtungen über seine Therapie und Ätiologie. *Z Orthop* 49:99—118, 1928.
43. **Fredenhagen H.** Der Klumpfuß, Vorkommen, Anatomie, Behandlung und Spätresultate. *Z Orthop* 85:305—21, 1955.
44. **Steno M., Slivka M.** Etiological factors in talipes equinovarus. *Acta Chir Orthop Traumatol Cech* 45:65—70, 1978.
45. **Little W.J.** A treatise on the nature of club-foot and analogous distortions including their treatment both with and without surgical operations. W Jeffs, London, 1839.
46. **Browne D.** Congenital deformities of mechanical origin. *Arch Dis Child* 30:37—41, 1955.
47. **Browne D.** The pathology and classification of talipes. *Aust NZ J Surg* 29:85—91, 1959.
48. **Hüter C** Zur Aetiologie der Fusswurzelcontracturen. *Archiv für Klinische Chirurgie*. Herausgegeben von B Langenbeck, pp. 125—54. Verlag von August Hirschwald, Berlin, 1863.
49. **Parker R.W.** Congenital club-foot: Its nature and treatment. H.K. Lewis, London, 1887.
50. **Poswillo D.** Observations of fetal posture and causal mechanisms of congenital deformity of palate, mandible, and limbs. *J Dent Res* 45:584—96, 1966.
51. **Volkman R.** Zur Aetiologie der Klumpfüsse. *Deutsche Klinik* 15:341—4, 1863.
52. **Wiley A.M.** Club foot. An anatomical and experimental study of muscle growth. *J Bone Joint Surg* 41—B:821—35, 1959.
53. **Fripp A., Shaw N.E.** Club-foot. E & S Livingstone Ltd. Edinburgh, London, 1967.
54. **Shapiro F., Glimcher M.J.** Gross and histological abnormalities of the talus in congenital club foot. *J Bone Joint Surg* 61—A, 4:522—30, 1979.
55. **Critchley J.E., Taylor R.G.** Transfer of the tibialis anterior tendon for relapsed clubfoot. *J Bone Joint Surg* 34—B:49—52, 1952.
56. **Baker C.J., Rudolph A.J.** Congenital ring constrictions and intrauterine amputations. *Am J Dis Child* 121:393—400, 1971.
57. **Cowell H.R., Hensinger R.N.** The relationship of clubfoot to congenital annular bands. *Foot Science*, edited by James Bateman, pp. 41—6. W.B. Saunders Company, Philadelphia, II., 1976.
58. **Torpin R.** Amniochorionic mesoblastic fibrous strings and amniotic bands. Associated constricting fetal malformations or fetal death. *Am J Obstet Gynecol* 91:65—75, 1965.
59. **Torpin R.** Fetal malformations caused by amnion rupture during gestation, pp. 56—62, Charles C. Thomas. Springfield, II., 1968.
60. **Duraiswami P.K.** Insulin-induced skeletal abnormalities in developing chickens. *Br. Med J* 2:384—90, 1950.
61. **Duraiswami P.K.** Experimental causation of congenital skeletal defects and its significance in orthopaedic surgery. *J Bone Joint Surg* 34—B:646—93, 1952.
62. **Edwards M.J.** The experimental production of clubfoot in guinea-pigs by maternal hyperthermia during gestation. *J Path* 103:49—53, 1971.
63. **Shaw E.B., Steinbach H.L.** Aminopterin-induced fetal malformation. *Am J Dis Child* 115:477—82, 1968.
64. **Jago R.H.** Arthrogryposis following treatment of maternal tetanus with muscle relaxants. *Arch Dis Child* 45:277, 1970.
65. **Shoro A.A.** Clubfoot and intra-uterine growth retardation produced by tubocurarine chloride in the rat fetus. *J Anat* 111:506—8, 1972.

66. **Melnicoff R.H., Davis R.H.** The development of lower extremity deformity. *J Am Podiatry Assoc* 68:631—5, 1978.
67. **DeMyer W., Baird I.** Mortality and skeletal malformations from amniocentesis and oligohydramnions in rats: Cleft palate, clubfoot, microstomia, and adactyly. *Teratology* 2:33—8, 1969.
68. **Böhm M.** The embryologic origin of club-foot. *J bone Joint Surg* 11:229—59, 1929.
69. **Scudder C.L.** Congenital talipes equino-varus. *Boston Med Surg J* 117:424—7, 1887.
70. **Irani B., Sherman M.S.** The pathological anatomy of club foot. *J Bone Joint Surg* 45—A:45—52, 1963.
71. **Atlas S., Saents Menacho L.C., Ures S.** Some new aspects in the pathology of clubfoot. *Clin Orthop* 149:224—8, 1980.
72. **Greider T.D., Siff S.J., Gerson P., Donovan M.M.** Arteriography in club foot. *J Bone Joint Surg* 64—A:837—40, 1982.
73. **Hootnick D.R., Levinsohn E.M., Crider R.J., Packard D.S. Jr.** Congenital arterial malformations associated with clubfoot. *Clin Orthop* 167:160—3, 1982.
74. **Ben-Menachem Y., Butler J.E.** Arteriography of the foot in congenital deformities. *J Bone Joint Surg* 56—A:1625—30, 1974.
75. **Bechtol C.O., Mossman H.W.** Club-foot. An embryological study of associated muscle abnormalities. *J Bone Joint Surg* 32—A:827—38, 1950.
76. **Debrunner H.** Die Therapie des angeborenen Klumpfußes. *Z Orthop* 88:1—180, 1956.
77. **Flinchum D.** Pathological anatomy in talipes equinovarus. *J Bone Joint Surg* 35—A:111—4, 1953.
78. **Ippolito E., Ponseti I.V.** Congenital clubfoot in the human fetus. *J Bone Joint Surg* 62—A:8—22, 1980.
79. **Scherb R.** Zur Frage der verschiedenen Erbfaktoren beim angeborenen Klumpfuß. *Schweiz Med Wochenschr* 43:998—1001, 1939.
80. **Stewart F.S.** Club-foot: Its incidence, cause, and treatment. *J Bone Joint Surg* 33—A:577—90, 1951.
81. **Turco V.J., Spinella A.J.** Current management of clubfoot. In: *Instructional Course Lectures of The American Academy of Orthopaedic Surgeons*, vol. 31, pp. 218—34, C V Mosby, St Louis 1982.
82. **Isaach H., Handelsman J.E., Badenhorst M., Pickering A.** The muscles in club foot — a histological, histochemical and electron microscopic study. *J Bone Joint Surg* 59—B:465—72, 1977.
83. **Orofino C.F.** The etiology of congenital clubfoot. *Acta Orthop Scand* 20:59—62, 1960.
84. **Garceau G.J.** Congenital talipes equinovarus. In: *Instructional Course Lectures of The American Academy of Orthopaedic Surgeons*, vol. 18, pp. 178—83. C V Mosby, St Louis 1961.
85. **Inclan A.** Anomalous tendinous insertions in the pathogenesis of club foot. *J Bone Joint Surg* 40—B:159, 1958.
86. **Settle G.W.** The anatomy of congenital talipes equinovarus: sixteen dissected specimens. *J bone Joint Surg* 45—A:1341—54, 1963.
87. **Keith A.** Concerning the origin and nature of certain malformations of the face, head, and foot. *British J Surg* 28:173—92, 1940.
88. **Scheel P.F.** Beobachtungen bei der Behandlung des kongenitalen Klumpfußes. *Z Orthop* 79:546—52, 1950.

89. **Dahmen G.** Die operative Behandlung des angeborenen Klumpfußes. *Med Monatsschr* 30:542—51, 1976.
90. **Hirsch C.** Observationer vid tidig operation av pes equinovarus congenitus. *Nord Med* 63:425—7, 1960.
91. **Elmslie R.C.** The principles of treatment of congenital talipes equino-varus. *J Orthop Surg* 18:669—86, 1920.
92. **Nichols E.H.** Anatomy of congenital equino-varus. *Boston Med Surg J* 136:150—3, 1897.
93. **Pous J.G., Dimeglio A.** Neonatal surgery in clubfoot. *Orthop Clin North Am* 9:233—40, 1978.
94. **Scudder C.L.** Congenital talipes equino-varus. *Boston Med Surg J* 117:397—9, 1887.
95. **Turco V.J.** Resistant congenital club foot — one stage posteromedial release with internal fixation. *J Bone Joint Surg* 61—A:805—14, 1979.
96. **Tönnis D., Bikadorov V.** Untersuchungen über die Ergebnisse verschiedener Behandlungsmethoden bei angeborenen Klumpfuß. *Z Orthop* 104:218—32, 1968.
97. **Wolff J.R., Tönnis D.** Elektronenmikroskopische Untersuchungen der Muskulatur bei angeborenen Klumpfuß und angeborener Hüftluxation. *Arch Ortop Trauma Surg* 68:95—107, 1970.
98. **Scher M.A., Handelsman J.E., Isaacs H.** The effect on muscle of immobilisation under tension and relaxation. *J Bone Joint Surg* 59—B:257, 1977.
99. **Bleck E.E.** Congenital clubfeet. Pathomechanics, radiographic analysis and results of surgical treatment. *Clin Orthop* 125:119—30, 1977.
100. **Evans D.** Relapsed club foot. *J Bone Joint Surg* 43-B:722—33, 1961.
101. **Hoffa A.** Lehrbuch der orthopädischen Chirurgie 5. ed., pp. 734—85. Ferdinand Enke, Stuttgart 1905.
102. **Hüter C.** Zu der Frage über das Wesen des angeborenen Klumpfußes. *Dtsche Klin* 15:487—8, 1863.
103. **Price C.T.** Congenital clubfoot. *J Flo Med Assoc* 66:104—7, 1979.
104. **Debrunner H.** Der angeborene Klumpfuß. *Schweiz Med Wochenschr* 80:772—4, 1950.
105. **Mercer W., Duthie R.B.** Orthopaedic surgery, pp. 94—101. London. Edward Arnold, 1964.
106. **Moser.** Zur Aussprache. *Verh Dtsch Ges Orthop* 18:97, 1923.
107. **Wisbrun W.** Neue Gesichtspunkte zum Redressement des angeborenen Klumpfußes und daraus sich ergebende Schlussfolgerungen bezüglich der Ätiologie. *Arch Ortop Trauma Surg* 31:451—64, 1932.
108. **Brockman E.P.** Modern methods of treatment of club-foot. *Br Med J* 5:572—4, 1937.
109. **Insley J.** Syndrome associated with a deficiency of part of the long arm of chromosome no 18. *Arch Dis Child* 42:140—6, 1967.
110. **Lloyd-Roberts G.C.** Orthopaedics in Infancy and Childhood, pp. 281—97. Butterworths, London, 1971.
111. **Carroll N.C., McMurtry R., Leete S.F.** The pathoanatomy of congenital clubfoot. *Orthop Clin North Am* 9:225—32, 1978.
112. **Turco V.J.** Surgical correction of the resistant club foot. *J Bone Joint Surg* 53—A:477—97, 1971.
113. **Wynne-Davies R.** Talipes equinovarus. *J Bone Joint Surg* 46—B:464—76, 1964.

114. **Le Damany P.** La torsion du tibia. Normale, pathologique, expérimentale. *J De L'Anatomie Physiol* 45:589—615, 1909.
115. **Swann M., Lloyd-Roberts G.C., Catterall A.** The anatomy of uncorrected club feet. A study of rotation deformity. *J Bone Joint Surg* 51—B:263—9, 1969.
116. **Bernbeck R.** Zur Pathologie des angeborenen Klumpfusses. *Z Orthop* 79:521—46, 1952.
117. **Barwell R.** On various forms of talipes as depicted by "X" rays. *Lancet* 2:160—2, 2:234—6, 2:1520—2, 1896.
118. **Hjelmstedt A., Sahlstedt B.** Simultaneous arthrography of the talocrural and talonavicular joints in children. *Acta Radiol (Diagn.) (Stockh)* 19:223—36, 1978.
119. **Ono K., Hayashi H.** Residual deformity of treated congenital clubfoot. *J Bone Joint Surg* 56—A:1577—85, 1974.
120. **Ponseti I.V., El-Khoury G.Y., Ippolito E., Weinstein S.L.** A radiographic study of skeletal deformities in treated clubfeet. *Clin Orthop* 160:30—42, 1981.
121. **Beatson T.R., Pearson J.R.** A method of assessing correction in club feet. *J Bone Joint Surg* 48—B:40—50, 1966.
122. **Debrunner H.** *Orthopädisches Diagnosticum*, pp. 161—6. Georg Thieme Verlag, Stuttgart 1973.
123. **Laaveg S.J., Ponseti I.V.** Long-term results of treatment of congenital club foot. *J Bone Joint Surg* 62—A:23—31, 1980.
124. **Simons G.W.** The diagnosis and treatment of deformity combinations in clubfeet. *Clin Orthop* 150:229—44, 1980.
125. **Kandel B.** The suroplantar projection in the congenital club-foot of the infant. *Acta Orthop Scand* 22:161—73, 1952.
126. **Denis X., Paquot J.P.** Examen radiologique et surveillance du pied bot congénital. *Ann Radiol (Paris)* 18:339—45, 1975.
127. **Tayton K., Thompson P.** Relapsing clubfeet. *J Bone Joint Surg* 61—B:474—80, 1979.
128. **Main B.J., Crider R.J., Polk M., Lloyd-Roberts G.C., Swann M., Kamdar B.A.** The results of early operation in talipes equino-varus. *J Bone Joint Surg* 59—B:337—41, 1977.
129. **Simons G.W.** A standardized method for the radiographic evaluation of clubfeet. *Clin Orthop* 135:107—18, 1978.
130. **Heywood A.W.B.** The mechanics of hind foot in club foot as demonstrated radiologically. *J Bone Joint Surg* 46—B:102—7, 1964.
131. **Reimann I., Becker-Andersen H.** Early surgical treatment of congenital clubfoot. *Clin Orthop* 102:200—6, 1974.
132. **Main B.J., Crider R.J.** An analysis of residual deformity in clubfeet submitted to early operation. *J Bone Joint Surg* 60—B:536—43, 1978.
133. **Keim H., Ritchie G.W.** "Nutcracker" treatment of clubfoot. *JAMA* 189:613—5, 1964.
134. **Reimann I.** Congenital idiopathic clubfoot. Munksgaard. Copenhagen, 1967.
135. **Ponseti I.V., Campos J.** Observations on pathogenesis and treatment of congenital clubfoot. *Clin Orthop* 84:50—60, 1972.
136. **(Morton W.)** Cited by Sigerist in *The Great Doctors* p. 360. Doubleday & Co. Garden City, New York 1958.
137. **(Semmelweis I.P.)** *Aetiologie, Begriff und Prophylaxis des Kindbettfiebers*. Wien 1861. Cited by Sigerist in *The Great Doctors*, pp. 338—43. Doubleday & Co. Garden City, New York, 1958.

138. (**Lister J.**) On a new method of treating compound fracture, abscess, etc. with observations on the conditions of suppuration. *Lancet* 1:326,357,387,507,1867,1967. Cited by Zimmerman and Veith in *Great Ideas in the History of Surgery*, pp. 469—71. Dover Publications Inc., New York 1967.
139. (**Esmarch F.V.**) Cited by Stromeyer in *Erinnerungen eines deutschen Arztes* pp. 476—82. Carl Rümpler, Hannover 1875.
140. **Perkins G.** *Orthopedics*, pp. 585—97. The Athlone Press, London 1961.
141. (**Lorentz A.**) Cited by Hoffa in *Lehrbuch der orthopädischen Chirurgie* p. 769. Ferdinand Enke, Stuttgart 1905.
142. (**Thomas H.O.**) A new wrench for clubfoot. *Prov med J* 5:286,1886. Cited by Valentin in *Geschichte der Orthopädie* p. 102 and 186, Georg Thieme Verlag, Stuttgart, 1961 and Jones and Lovet in *Orthopedic Surgery* pp. 589—90 William Wood and Company, New York 1924.
143. **Forrester-Brown M.** The treatment of congenital equinovarus (club-foot). *J Bone Joint Surg* 12:661—70, 1935.
144. **Forrester—Brown M.** A clamp for stretching congenital clubfeet. *Lancet* 1:897—8, 1936.
145. **Browne D.** Modern methods of treatment of club-foot. *Br. Med J* 5:570—2, 1937.
146. **Chiulamila J.D.** Die Korrektion und Fixation des Klumpfußes nach dem forcirten Redressement. *Z Orthop Xhir* 13:719—51, 1904.
147. **Lange M.** *Lehrbuch der Orthopädie und Traumatologie*. pp. 552—4. Ferdinand Enke Verlag. Stuttgart, 1971.
148. **Scheel P.F.** Fehlerquellen in der operativen Behandlung des Säuglingklumpfußes. *Z Orthop* 90:343—51, 1958.
149. **Van Assen J.** Missbildung des distalen Unterschenkelendes nach Schädigung der Epiphysenscheiben. *Z Orthop Chir* 60:454—60, 1934.
150. **Kite J.H.** Non-operative treatment of congenital clubfeet: a review of one hundred cases. *South Med J* 23:337—45, 1930.
151. **Kite J.H.** The treatment of congenital clubfeet. *Surg Gynecol Obstet* 61:190—200, 1935.
152. (**Arcaeus F.**) *De recta curandorum culnerum ratione et aliis eius artis praecipis libri duo. Liber II*, 12:1667. Antwerpen 1574. Cited by Valentin in *Geschichte der Orthopädie* p. 67. Georg Thieme Verlag, Stuttgart 1961.
153. (**Paré A.**) *Oeuvres complètes d'Ambroise Paré, T II* p. 613. Edited by Malgaigne J.F. Paris 1840. Cited by Valentin in *Geschichte der Orthopädie* p. 81. Georg Thieme Verlag, Stuttgart 1961.
154. **Browne D.** Splinting for controlled movement. *Clin Orthop* 8:91—102, 1956.
155. **White W., Cullledge W.H.** Skin-tight casts for treatment of clubfoot. *J Bone Joint Surg* 33—A:475—7, 1951.
156. **Shaw N.E.** Treatment and prognosis in clubfoot. *Br. Med J* 1:219—22, 1977.
157. **Guerin M.** Division of the tendon achilles in club foot. *Lancet* 2:648, 1835.
158. (**Mathysen A.**) *Nieuwe wijze van aanwending van het gibs verbend bij breuken. Eene bijdrage tot de Militaire Chirurgie*. Harlem 1852. Cited by Valentin in *Geschichte der Orthopädie* p. 90. Georg Thieme Verlag, Stuttgart 1961.
159. **Jones R., Lovett R.W.** *Orthopedic surgery*, pp. 578—9. William Wood and Company, New York 1924.
160. **Wolff J.** Ueber Klumpfußbehandlung. *Arch Klin Chir* 21:90—108, 1877.

161. **Furlong M.B., Lawn G.W.** The correction of clubfoot by utilizing the controlled withdrawal reflex. *Arch Pediat* 77:317, 1960.
162. **Lange M.** Die blutige Behandlung des Klumpfußes. *Verh Dtsch Ges Orthop* 29:222—5, 1934.
163. **Rabl C.R.** Herunterhohlen der Klumpfußferse ohne Tenotomie. *Z Orthop* 82:599—614, 1952.
164. **Imhäuser G.** Bemerkungen zu der Arbeit von C.R.H. Rabl "Der angeborene Klumpfuß und die Ursachen mangelhafter Ergebnisse seiner Behandlung". *Orthop Prax* 10,2:86—9, 1974.
165. **Imhäuser G.** Follow-up examination: 30 years of Imhäuser club-foot treatment. *Arch Orthop Trauma Surg* 96:259—70, 1980.
166. **(Lorenz W.)** Cited by Fergusson in *A System of Practical Surgery* p. 360. John Churchill, London 1846.
167. **(Sartorius J.F.)** Glückliche Herstellung einer verkrümmten Fusses durch die Durchschneidung der Achillessehne. *Sammlungen seltener und ausserlesener chirurgischen Beobachtungen und Erfahrungen* p. 258. Arnstadt 1812. Cited by Valentin in *Geschichte der Orthopädie* p. 95. Georg Thieme Verlag, Stuttgart 1961.
168. **(Delpech)** *Précis élémentaire des maladies réputées chirurgicales*. Paris 1816. Cited by Valentin in *Geschichte der Orthopädie* p. 96. Georg Thieme Verlag, Stuttgart 1961.
169. **Stromeyet G.F.L.** *Erinnerungen einer deutschen Arztes*. Carl Rumbler. Hannover, 1875.
170. **Dwyer F.C.** The treatment of relapsed club foot by the insertion of a wedge into the calcaneum. *J Bone Joint Surg* 45—B:67—75, 1963.
171. **Fergusson W.** *A System of Practical Surgery*, pp. 360—6. John Churchill, London 1846.
172. **Phelps A.M.** The present status of the open incision method for talipes varo-equinus. *Med Rec* 38:539—8, 1890.
173. **Steindler A.** Stripping of the os calcis. *J Orthop Surg* 2: 8—12, 1920.
174. **(Codivilla A.)** Cited by Lange in *Orthopädisch- chirurgische Operationslehre* p. 701. Verlag J.F. Bergman, München 1951.
175. **Contarygis A.** Lé traitement opératoire précoce du pied bot congénital chez les nouveau-nés. *Rev Orthop* 18:719—23, 1931.
176. **Pasila M., Sulamaa M.** Tidig operation av svår klumpfot. *Nord Med* 66:1274—5, 1961.
177. **Denham R.A.** Congenital talipes equinovarus. *J Bone Joint Surg* 49—B:583—90, 1967.
178. **Turra S., Pavani G., Volpe A.** Surgical treatment of congenital club foot. (Comparison of the results of Codivillas operation with those of Turcos modification.) *Ital J Orthop Traumatol* 4:155—69, 1978.
179. **Bösch J.** Operative oder konservative Klumpfußbehandlung. *Z Orthop* 83:8—24, 1953.
180. **Doebel S.** Zur operativen Behandlung des angeborenen Klumpfußes. *Therapiewoche* 27:015—6, 1977.
181. **Mau C.** Die "Entflächerung" des Tibialis posticus als typische Operation des rebellischen und rezidivierenden angeborenen kindlichen Klumpfußes. *Zentralbl Chir* 75:1312—7, 1950.
182. **Petri Ch.** Die Resultate der Frühbehandlung des angeborenen Klumpfußes. *Orthopäde* 8:159—62, 1979.
183. **Preston E., Fell T.W.** Congenital idiopathic clubfoot. *Clin Orthop* 122:102—9, 1976.
184. **Dunn N.** The treatment of congenital talipes equino-varus. *Br Med J* 2:1216—8, 1923.

185. **McCauley J.C. Jr.** Treatment of clubfoot. Instructional course lectures 16:93—9, 1959.
186. **Fischer G.** Pes varus. Mitteilungen aus der Chirurgischen Universitäts-Klinik zu Göttingen, pp. 31—312, 1861.
187. **Hauge F.** Moderne klumpfothbehandling. Tidsskr Nor Laegeforen 79:4—7, 1959.
188. **Hoke M.** An operative plan for the correction of relapsed and untreated talipes equinovarus. Am J Orthop Surg 9:379—415, 1912
189. **Kircher E., Biel Th.** Der angeborene Klumpfuß. Fortschr Med 96:1965—70, 1978.
190. **Marciniak W., Koczocik-Przedpelska J.** Bioelectrical activity of the leg muscles in children with congenital talipes equino-varus during level walking. Chir Narzadow Ruchu Ortop Pol 46:399—402, 1981.
191. **Campos da Paz A., de Souza V.** Talipes equinovarus: Pathomechanical basis of treatment. Orthop Clin North Am 9:171—85, 1978.
192. **Hohmann G.** Folgerungen für die Behandlung des Klumpfußes. Verh Dtsch Ges Orthop 29:240—5, 1934.
193. **Morita S.** A method for the treatment of resistant congenital clubfoot in infants by gradual correction with leverage wire correction and wire traction cast. J Bone Joint Surg 44—A:149—68, 1962.
194. **Bethem D., Weiner D.** Radical one-stage posteromedial release for the resistant clubfoot. Clin Orthop 131:214—23, 1978.
195. **Herring J.A., Aston J.W. Jr., Schneider R.W., Carrel B.** The Turco posteromedial release. Orthop Trans 1:107—8, 1977.
196. **Stracker O.** Dauerredressement mit Transfixation. Verh Dtsch Ges Orthop 42:192—3, 1955.
197. **Böhler K.** Zur Aussprache. In der 18. Kongress. Verh Dtsch Ges Orthop 18:94—6, 1923.
198. **Lange M.** Orthopädisch—Chirurgische Operationslehre, pp. 708—15. Verlag von J.F. Bergman. München, 1951.
199. **Nyga W.** Ergebnisse der Tibialis anterior-Verlagerung zur Behandlung des kongenitalen Klumpfußes. Beitr Orthop Traumatol 26:44—9, 1979.
200. **Garceau G.J.** Anterior tibial tendon transposition in recurrent congenital club-foot. J Bone Joint Surg 22:932—6, 1940.
201. **Garceau G.J., Manning K.R.** Transposition of the anterior tibial tendon in the treatment of recurrent congenital club-foot. J Bone Joint Surg 29:1044—8, 1947.
202. **Garceau G.J., Palmer R.M.** Transfer of the anterior tibial tendon for recurrent club foot. J Bone Joint Surg 49—A:207—31, 1967.
203. **Singer M., Fripp A.T.** Tibialis anterior transfer in congenital club foot. J Bone Joint Surg 40—B:252—5, 1958.
204. **Fengler R.** Ergebnisse der Tibialis anterior- und posterior- Plastik beim redressierten Klumpfuß zur Fixation des redressierten Resultates. Beits Ges Arbeitsber Chir Med Tech 1:19—21, 1954.
205. **Lichtblau S.** External tibial rotation osteotomy in club-foot. Adverse late effects. Clin Orthop 136:225—9, 1978.
206. **Ryerson E.W.** Arthrodesing operations on the feet. J Bone Joint Surg 5:453—71, 1923.
207. **Bachmann R.** Klinisches und röntgenologisches Behandlungsergebnis angeborener Klumpfüsse nach 5 Jahren. Zentralbl Chir 41:1738—45, 1953.
208. **Gafarov H.Z.** The results of conservative management of congenital clubfoot in children. Ortop Traumatol Protez 2:45—7, 1978.

209. **Henkel H.L.** Klumpfußoperationen und Wachstumsreaktionen. *Orthop Prax* 10:601—3, 1974.
210. **Wesley M., Barenfeld P.A., Barrett N.** Complications of the treatment of clubfoot. *Clin Orthop* 84:93—6, 1972.
211. **Colburn R.C.** Flat talus in recurrent club foot. *J Bone Joint Surg* 44—A:1018, 1962.
212. **Aplington J.P., Riddle C.D. Jr.** Avascular necrosis of the body of the talus after combined medial and lateral release of congenital clubfoot. *South Med J* 69:1037—8, 1976.
213. **Herwig W., Schiemann E.** Zur Klumpfußbehandlung nach Scheel und ihren Ergebnissen. *Z Orthop* 90:333—43, 1958.
214. **Kumar K.** The role of footprints in the management of clubfeet. *Clin Orthop* 140:32—6, 1979.
215. **Stein V.** Einflussfaktoren bei der Entstehung einer Klumpfußrezidivs. *Beitr Orthop Traumatol* 27:138—41, 1979.
216. **Müller G.** Die morphologischen Ergebnisse der Klumpfußbehandlung aus klinischer und röntgenologischer Sicht. *Beitr Orthop Traumatol* 17,9:594—603, 1970.
217. **Finck J.** Die Therapie der Klumpfüße Neugeborener in den ersten Wochen nach der Geburt. *Verh Dtsch Ges Orthop* 3:154—72, 1904.
218. **Kuhlman R.F., Bell J.F.** A clinical evaluation of operative procedure for congenital talipes equinovarus. *J Bone Joint Surg* 38—A:929, 1956.
219. **Nemechek R.W.** Long-term follow-up and family study in congenital talipes equinovarus. *J Bone Joint Surg* 50—A:1064—5, 1968.
220. **Lindemann K.** Die Behandlung des kindlichen Klumpfußes späterer Jahre und des Klumpfußrezidivs. *Verh Dtsch Ges Orthop* 29:188—205, 1934.
221. **Becker F.** Zur Aussprache. In der 42. Kongress. *Verh Dtsch Ges Orthop* 42:203, 1955.
222. **Bertelsen A.** Treatment of congenital clubfoot. *J Bone Joint Surg* 39—B:599, 1957.
223. **Jansen K.** Treatment of congenital clubfoot. *J Bone Joint Surg* 39—B:599, 1957.
224. **Manes E., Costa C.M., Innao V.** The treatment of congenital club foot in the first year of life. *Chir Organi Mov* 62:301—14, 1973.
225. **Swann M.** The early management of the club foot. *Proc Roy Soc Med* 70:256—7, 1977.
226. **Price C.T.** Non-operative treatment of congenital clubfoot — a long term follow-up study. *Orthop Trans* 2:213—4, 1978.
227. **Tripathi R.P., Chatuverdi S.N.** Treatment of club-foot by one-stage medial soft tissue release operation. *J Indian Med Assoc* 73:33—5, 1979.
228. **Richardson A.B., Westin W.G.** The complete vs incomplete surgical release of the congenital clubfoot. *Orthop Trans* 2:213, 1978.
229. **Pelosi M.A., Iffy L.** Spontaneous abortion: Clinical considerations. In: *Principles and Practice of Obstetrics and Perinatology*, edited by Leslie Iffy and Harold A Kaminetzky, vol. I, pp. 571—81. John Wiley & Sons, New York, 1981.
230. **Sigerist H.E.** *The Great Doctors*. Doubleday & Co. Inc. Garden City, New York 1958.
231. **Valentin B.** *Geschichte der Orthopädie*, pp. 67—106. Georg Thieme Verlag. Stuttgart, 1961.
232. **Zimmerman L.M., Veith I.** *Great Ideas in the History of Surgery*. Dover Publications, Inc. New York 1967.