

Supplementary data

Table 5. Multiple linear regression analysis of PRWE scores per fracture type

	n	Regression coefficient	(95% CI)	p-value
Type A fractures				
Age	107	0.28	(−0.03 to 0.59)	0.08
Sex				
Male	20	(ref)		
Female	87	−5.4	(−17 to 6.6)	0.4
Dominant side fracture				
Yes	36	(ref)		
No	45	3.8	(−4.9 to 12)	0.4
Treatment				
Non-operative	93	(ref)		
Operative	14	11	(−0.5 to 23)	0.06
Type B fractures				
Age	86	0.08	(−0.20 to 0.36)	0.6
Sex				
Male	27	(ref)		
Female	59	7.9	(−1.6 to 17)	0.1
Dominant side fracture				
Yes	32	(ref)		
No	41	2.9	(−5.6 to 11)	0.5
Treatment				
Non-operative	67	(ref)		
Operative	19	16	(5.6 to 25)	< 0.01
Type C fractures				
Age	79	−0.32	(−0.66 to 0.02)	0.07
Sex				
Male	22	(ref)		
Female	57	11	(−0.36 to 22)	0.06
Dominant side fracture				
Yes	28	(ref)		
No	37	−0.78	(−10 to 8)	0.9
Treatment				
Non-operative	25	(ref)		
Operative	54	2.0	(−7.6 to 12)	0.7
Ref = reference group.				